

Stratusphere[™] UX

Quick Start & Evaluation Guide

Introduction

This guide has been authored by experts at Liquidware in order to provide information and guidance to walk you through an evaluation of Stratusphere UX (UX stands for "User eXperience"), the VDI diagnostics and performance monitoring solution from Liquidware. This is not a complete training or user guide, but is meant to guide you through the basic steps to setup the product and to introduce you to key features, reports and capabilities, so that you can determine whether Stratusphere is suitable for your VDI monitoring needs.

During the course of this guide, you will:

- ✓ Learn the key components of the Stratusphere diagnostics product module
- ✓ Learn how to review environment inventory and configuration for desktops, applications
- ✓ Learn how to review resource consumption data for desktops, users, and applications
- ✓ Learn how to generate diagnostic findings and results

This document is meant for consultants and customers who are deploying desktop virtualization in pilots or production, and who may have use for a diagnostic tool to help measure user experience or identify performance issues. Technical skills required are minimal, however familiarity with deploying virtual desktops and virtual machines is expected.

Information in this document is subject to change without notice. No part of this publication may be reproduced in whole or in part, stored in a retrieval system, or transmitted in any form or any means electronic or mechanical, including photocopying and recording for any external use by any person or entity without the express prior written consent of Liquidware Labs.

Liquidware Labs, Inc. 3600 Mansell Road Suite 200 Alpharetta, Georgia 30022 U.S.A. Phone: 678-397-0450 www.liquidware.com

©2020 Liquidware Labs Inc. All rights reserved. Stratusphere, ProfileUnity, FlexApp, FlexDisk and ProfileDisk are trademarks of Liquidware Labs. All other products are trademarks of their respective owners. 20-1104.6.5.0

CONTENTS

STRATUSPHERE UX OVERVIEW	4
LEARNING THE BASICS OF STRATUSPHERE UX	5
Your Troubleshooting Starting Point	6
DIAGNOSTICS INSPECTORS	7
DIAGNOSTICS DASHBOARDS	8
DIAGNOSTICS REPORTS	9
DIAGNOSTICS VDI UX PROFILE	
INVENTORY	
DIAGNOSTICS 1: END-TO-END PERFORMANCE ANALYSIS	15
MACHINE PERFORMANCE ANALYSIS	
HOST PERFORMANCE ANALYSIS	
NETWORK PERFORMANCE ANALYSIS	
SAN Performance Analysis	
DIAGNOSTICS 2: TREND ANALYSIS AND ALERTS	23
TREND ANALYSIS	23
Alerts	24
DIAGNOSTICS 3: SUMMARY ANALYSIS AND RECOMMENDATIONS	
VDI UX Analysis	
Performance Time Chart and Comparison	
DIAGNOSTIC FINDINGS SUMMARY	
USING THE STRATUSPHERE UX ADVANCED MODE	
Advanced Mode Search	
Advanced Mode SpotChecks	
Advanced Mode Dashboards	
Using the Search Feature	
Setting Preferences & Creating Your Own Dashboards	
Creating a Dashboard	

Adding a Widget	
Creating or Editing Widgets	
Creating or Editing Datasources	
Editing Dashboards	45
Advanced Inspectors	
Understanding the Basics	
Inspector Tabs	
Inspector Graphs	
Other Key Functionality	51
Advanced Mode Trends & Top Consumers	53
Му Тав	55
Preferences	55
Advanced Inspectors Help	55
BREAKING DOWN THE USER LOGIN PROCESS	
PROCESS OPTIMIZATION	
GETTING HELP WITH STRATUSPHERE	
Using Online Resources	62
CONTACTING SUPPORT	

Stratusphere UX Overview

Liquidware's Stratusphere[™] UX is an essential desktop monitoring tool for virtual desktop administrators who support mixed virtual-and-physical production environments. Existing monitoring solutions are built for legacy systems and are subsystem based with no correlation to desktop users, machine names and application names. Stratusphere UX is unique in that it uses patented technology to track real-time actual end user metrics and response data across all desktops in the enterprise by measuring a set of specialized indicator metrics.

Stratusphere UX benefits environments where virtual desktops are already in production, and administrators plan to scale the environment by:

- adding more users (and virtual desktops)
- adding users with different working habits (i.e., remote vs. in-office)
- adding more complex user desktop images (knowledge or power workers)
- running both virtual and physical desktops in their environments
- upgrading or adding new operating systems or applications

Very often, virtual desktop capacity is over-provisioned early on while there are relatively fewer users in production. However, issues arise later when organizations scale the environment and add users and/or make modifications to the images or systems. The shared-resource infrastructure makes it difficult to isolate the root cause of problems. Therefore, a solution such as Stratusphere UX becomes indispensable, because it provides visibility into areas that traditional monitoring solutions do not. Stratusphere UX allows virtual desktop managers to accomplish the day-to-day monitoring and maintenance of the virtual desktop environment with easy to use Dashboards and Inspectors. Stratusphere UX's low price point makes it feasible to use it alongside existing enterprise or platform-specific monitoring solutions.

Stratusphere UX delivers actual user experience (UX) end user response time information such as:

- User Logon Time in Seconds
- Application Launch Time in Seconds
- Application Server Response Time (ART)
- Application Not Responding Information
- Application Usage Tracking / Installed vs. Consumed
- Network Latency / Round Trip Time (NRT)
- Network Connection Failures
- Network Connection Tracking by Port, User & Device to Device
- Disk & Network IO per Application/Process
- Disk and CPU Queues
- Visibility into TCP and UDP traffic streams and patterns
- Overall VDI UX composite metrics and score

Stratusphere UX is designed to save organizations time and money while boosting productivity. Advanced Inspectors allow administrators to proactively monitor environments and quickly drill down into potential issues to respond to Help Desk requests or other support tasks. With a large collection of standard reports, Stratusphere provides a wealth of information about your organization's infrastructure and users as well as the ability to create customized reports. Armed with hard objective data, administrators are prepared to provide Health Checks to diagnose and troubleshoot desktop environments or user experience validation that corporate decisions are matching budgetary constraints while meeting users' needs.

Learning the Basics of Stratusphere UX

This section introduces the key elements of the Stratusphere UX product. To log in to the product:

- 1. Open your browser and type https://<your-virtual-appliance-ip-address>.
- 2. At the web login page, select Stratusphere UX from the **Product** drop-down, and enter your **User name** and **Password**.

	User nan Password	nistration Interface creden ne: ssadmin d: sspassword se your VM Instance ID for			
bisk usage of 75	5% is approaching the automatic purge t	hreshold of 80%			
Log In					
	tratusphere UX 🔻	Product	Valid until	License Details	
Domain Iv	vl.corp 🔹 🖨	✓ Stratusphere FIT	Forever	1235/unlimited machines, 439/unlimited users	
User name ni	eans	✓ Stratusphere UX	Forever	1235/unlimited machines, 439/unlimited users, 12/100 c	ollectors
Password .	ng In	Contact sales@liquidware.com for additio	nal licensing needs.		
Version: 6.1.5		Licensed to Liquidware Lab	s, Inc.	© 202	0 Liquidware Labs, Inc

<u>Note:</u> For secure connections, a closed lock icon will display next to the Domain name on the Login page on the Stratusphere web user interface. Otherwise, an unlocked icon will be displayed next to the Domain name. Liquidware recommends using a secure connection when configuring Active Directory or LDAP directories. Go to the **Hub** Administration > Directories tab, to enable the "Use secure connection" option.

Also notice that a message is displayed above the login credentials pictured above. The Login Page will display urgent notifications to end users so they are aware prior to logging into the product.

Your Troubleshooting Starting Point

The default tab in the Stratusphere UX module is the Advanced Mode Search. This is a comprehensive Google-like search that provides links to any piece of information found within the Stratusphere system over a period of time. It also provides 360° views on Users, Machines, and Applications organized by allocation, configuration, consumption, user experience, performance, environment, and trending of metrics over time.


The Advanced Mode Search offers a quick and easy method for Help Desk and first-tier admins to zero in on user experience issues while providing a great deal of relevant data. You can enter any term in the search bar to start your search. While searching "All" provides a very broad search, you can narrow your search to a specific category by selecting one of the tags under the search text box. The search also supports the use of quotes and wildcards. Click on the blue question mark next to the Search bar for help and examples.



Before we dive deeper into all the other features and capabilities of the Advanced Mode tabs, let's start with the much simpler or basic tabs within UX first. We'll cover more on the Advanced Mode Search and other tabs within Advanced Mode a little later in the document. Let's take a look around the Stratusphere UX module and see how it brings visibility to the process of managing next-generation workspaces.


Diagnostics Inspectors

Click on the **Diagnostics > Inspectors** tab, and you will find a list of interactive reports and graphs that you can use to explore the diagnostics data. Use the drop-down at the top of the page to select the Inspector view and then click on the **Go** button to move to that view. You can filter the data using controls at the top of the page, and dynamically sort or drill-down using controls on the data table. Data can also be exported to PDF, XLS, and other formats.



Diagnostics Dashboards

Click on **Diagnostics > Dashboards** to view the new Stratusphere Dashboards. The Summary Overview provides an overview of the data collected along with real-time refreshing. The dashboard is made up of resizable widgets that provide you quick access to the information you need the most. There are several different dashboards provided out-of-the-box, but Stratusphere also offers the option to create and customize your own dashboards.



Diagnostics Reports

Click on **Diagnostics > Reports** to enter the Stratusphere Report Library. Stratusphere provides a large collection of standard reports which are divided into different categories. These reports are designed to provide an accurate picture of the user experience across multiple platforms from all the data that has been collected. In the Report Library, you can select and dynamically run individual reports, edit report criteria, or schedule reports to run at specific times. Note that all reports are customizable using the open source BIRT Report Designer, and you can also add your own custom reports to the library. To learn how to customize reports relevant to your specific needs as well as how to use the API in Excel to query the database, please contact your sales representative to schedule training.

ault report t, set schedule or
Page 1 of 1 <u>< Prev Next</u> >
View Archives Manage Categories Quick Search Search
ormats Archived Criteria
0 Last 24 Hours
0 Yesterday (prior calendar day)
0 Station group Default Collector Group, Yesterday (prior calendar day
0 Yesterday (prior calendar day)
0 Yesterday (prior calendar day)
0 Yesterday (prior calendar day)
1 Yesterday (prior calendar day)
1 Yesterday (prior calendar daw)
1 Yesterday (prior calend, Use the page widget to
1 Last 24 Hours go to a specific page.
1 Last 24 Hours
1 Last 24 Hours

Click on the **View Archives** link to find a list of previously generated reports on your Hub. Please note that if you have just deployed Stratusphere, there may not be any reports in the list.

Dia	anostics Invento	rv Advanced					
	ectors Dashboards		Alerts VDI UX Profile				
or	orts 🔊 Categ	ory: UX Health Ch	eck Reports				Page 1 of 1 < Prev Next
Star	t Date: 10/01/2018 Date: 10/16/18	3:10 PM	Filter report v when reports		ے ل_	ave refresh	your view after
	e = mm/dd/yyyy; Time	Clic	am, or hh:mm pm ck on row to select your report to vie	w	cha	nging any fil	-
36		Then click Download.			<u></u>	ew Report Libra	Ty Manage Categories Quick Search
	Run Date 🛛 🔻	C		tus	Owner	Time to run	Criteria
	Run Date V Oct 10, 2018 4/2 V PM EDT V	UX Health Check Reports	310. Diagnostic Findings			Time to run 0 m 20 s	Criteria Period 10/10/18 12:00 AM to 10/10/18 11:59 PM
	Oct 10, 2018 4		310. Diagnostic Findings 312. User Experience Key Metrics Averaged By Hour		tmiller@lwl.corp	0 m 20 s	
	Oct 10, 2018 402 PM ED Oct 5, 2018 8:57:32	Reports UX Health Check	312. User Experience Key Metrics Averaged	Complete Complete	tmiller@lwl.corp	0 m 20 s 0 m 10 s	Period 10/10/18 12:00 AM to 10/10/18 11:59 PM Period 9/28/18 8:57 AM to 10/5/18 8:57 AM, Station
	Oct 10, 2018 40 PM EDT Oct 5, 2018 8:57:32 AM EDT Oct 5, 2018 8:57:32	Reports UX Health Check Reports UX Health Check	312. User Experience Key Metrics Averaged By Hour 311. User Experience Key Metrics Time	Complete Complete Complete	tmiller@lwl.corp tlahaussois@lwl.corp	0 m 20 s 0 m 10 s 3 m 51 s	Period 10/10/18 12:00 AM to 10/10/18 11:59 PM Period 9/28/18 8:57 AM to 10/5/18 8:57 AM, Station group Default Collector Group Period 9/28/18 8:57 AM to 10/5/18 8:57 AM, Station
	Oct 10, 2018 400 PM EDT Oct 5, 2018 8:57:32 AM EDT Oct 5, 2018 8:57:32 AM EDT Oct 5, 2018 8:57:32	Reports UX Health Check Reports UX Health Check Reports UX Health Check	312. User Experience Key Metrics Averaged By Hour 311. User Experience Key Metrics Time Chart 309. Key Metrics Aggregated By Hour	Complete Complete Complete Complete	tmiller@lwl.corp tlahaussois@lwl.corp tlahaussois@lwl.corp	0 m 20 s 0 m 10 s 3 m 51 s 1 m 15 s	Period 10/10/18 12:00 AM to 10/10/18 11:59 PM Period 9/28/18 8:57 AM to 10/5/18 8:57 AM, Station group Default Collector Group Period 9/28/18 8:57 AM to 10/5/18 8:57 AM, Station group Default Collector Group Period 9/28/18 8:57 AM to 10/5/18 8:57 AM, Station

To go back to the full list of available reports, click on the View Report Library link.

Diagnostics VDI UX Profile

The VDI UX Profile is part of Liquidware Labs' patent pending VDI UX rating system which is used to continuously rate desktop and user activity on virtual desktops to help categorize the expected user experience. The rating system categorizes a desktop or user on nine metrics, each one rated Good, Fair or Poor according to thresholds defined in the profile. You can specify relative weights for each metric. To exclude a metric, just set the weight to zero. Also, you can auto-generate thresholds based on statistical measures taken from recent historical data.

To view or change the profile settings, login to Stratusphere UX and navigate to **Diagnostics > VDI UX Profile**. At the top of the page, you can choose to calculate thresholds based on historical data, either one time (in which case the threshold changes will not be saved until you click **Save Changes**) or auto adjusted in the background on a daily basis. Note that you can recalculate VDI UX ratings for previously collected data when you **Save Changes**.

Stratusphere Diagnostics Inventory Advanced Inspectors Dashboards Reports Alerts VDI UX VDI UX Profile	Profile							
	Profile							
VDI UX Profile			01.1					_
			thres	here for sholds. Mu	ust click		nanges	
Calculate Thresholds			to sto	ore and u	se.			Calculate Profile Settings
Generate baselines and thresholds from data over the previ The baseline is the mean (average) value for the specified t Only include data when users are logged on to machine Auto-adjust and reset calculated baselines and threshol	ime period, and s	days the fair	r and po	oor thresho	lds are o	ne- and tw	o- stand	ard deviations from the mean
	as dany							
Machine Experience Indicators	Mainht (0/)		Cond		Fair		2.	
Login Delay : Time it takes to login (sec.) <u>?</u>	Weight (%) 5	0	Good <=	15	Fair <=	60	Po <=	unbounded
Application Load Time : Avg. startup time for applications (sec.) ?	10	0	<=	5	<=	30	<=	unbounded
CPU Queue Length : Length of CPU queue at inspection time 了	35	0	<=	0.1	<=	2	<=	unbounded
Memory Usage : Memory (RAM) % usage during inspection interval <u>?</u>		0	<=	70	<=	90	<=	unbounded
Page File Usage : Page file % usage during inspection interval 2		0	<=	10	<=	30	<=	unbounded
Page Faults : Avg. page faults per second during inspection interval 2		0	<=	3,000	<=	9,000	<=	unbounded
Non-Responding Applications : Number of unresponsive applications at inspection time 2	10	0	<=	1	<=	2	<=	unbounded
I/O Experience Indicators								
	Weight (%)		Good		Fair		Po	or
Disk Load : Avg. disk IO per second <u>?</u>	15	0	<=	15	<=	85	<=	unbounded
Disk Queue Length : Avg. length of disk queue(s) <u>?</u>		0	<=	0.1	<=	2	<=	unbounded
Network Latency : Avg. network roundtrip time (ms) <u>?</u>		0	<=	50	<=	150	<=	unbounded
Failed Connections : Number of outgoing connection attempts that failed ?	15			ght to zer		٣	<=	unbounded
Do not recalculate VDI UX for previously saved data Recalculate VDI UX for data from Implement to Save Changes Cancel		_ C	xclude	e a metric.				

Inventory

Under the **Inventory** tab of the Stratusphere UX product, you can view specific information on the machines (devices), users and applications in your environment. Once you have installed your Hub and deployed Connector ID Keys to the target devices, the Inventory information will automatically begin populating. The data will be updated regularly according to the Callback Frequency defined for the Connector ID Keys. The Inventory section is also where you can create and manage groups of machines, users, and applications.

Stratusphere Stratusphere UX V Print Help Log O Diagnostics Inventory Advanced Use buttons or drop-down list to take action on the selected items. Machines Users Applications Subnets Page 1 of 47 < Prev Next New Selected 1: Edit Add To Groups Outch Search Search														
New Selected 1: Edit Add To Group Delete Unselect More actions View: Individual Machines Groups Ouic												Quick Search	Se	earch
	Name	IP Address	Make	Model	Directory	Туре	OS Version	Host	VM Directory	Connector ID Key Version	Created On	Last Contact	Uptime	Pendi Repo
	jovcentos7	10.10.2.182	Hewlett- Packard	HP EliteBook 850 G2	Local Directory	Physical - Notebook	CentOS Linux release 7.3.1611 (Core)			Standard 64b 6.0.0-1	Jun 29, 2017 8:36:43 AM EDT	Sep 18, 2017 8:48:25 AM EDT	19 day 23 hr 12 min	
	centos Click on to edit.	n row to select	t item	Virtual Machine	Local Directory	Hyper-V	CentOS Linux release 7.4.1708 (Core)			Standard 64b 6.0.0-4	Jan 5, 2018 9:55:59 AM EST	Jan 5, 2018 9:47:38 PM EST	4 hr 11 min	0
	localhost	67.173.172.131	Microsoft Corporation	Virtual Machine	Local Directory	Hyper-V	CentOS Linux release 7.4.1708 (Core)			Standard 64b 6.0.9-1	Dec 25, 2017 7:24:46 PM EST	Sep 18, 2018 6:36:24 PM EDT	18 day 21 hr 50 min	0

liqu	stratusphere								Stratusphere	UX V Print Help V Log Out
		bnets				_	(Searc	h for items by name.	Page 1 of 64 <u>< Prev Next ></u>
New		Directory	Role	API Access	Enabled	Locked	Last Login		View: Individual Users <u>Groups</u>	Quick Search Search Created On
	ISTest@lwldemocenter.local	Local Directory		No	No	No	Jul 25, 2017 10:46:23 A		91aae9b	21, 2017 1:56:25 PM EDT
	bmoore@se.lwl.corp	Local Directory	User	No	No	No	Jul 25, 2017 1:09:37 PM	1 EDT	sevws1 Click to manage in	25, 2017 1:09:44 PM EDT
	njeans@LwL.corp	lwl.corp	Administrator	Yes	Yes	No	Aug 11, 2017 10:34:10	AM EDT	atl-1153 groups.	7, 2017 7:07:21 PM EDT
	demouser3@lwldemocenter.local	Local Directory	User	No	No	No	Aug 26, 2017 12:20:45	PM EDT	JM-ProULWL.LWL.Corp	Aug 26, 2017 12:13:19 PM EDT
	demouser4@lwldemocenter.local	Local Directory	User	No	No	No	Aug 26, 2017 12:20:48	PM EDT	JM-ProULWL.LwL.corp	Aug 26, 2017 12:18:31 PM EDT

q	Stratusphere									<u>Stratusp</u>	here UX 🔻 Print Help Log Out
Dia	agnostics Inventor	y Advan	ced								
Mac	chines Users A	pplications	Subnets								
es	sktop Applicatio	ons									Page 12 of 742 <u>< Prev</u> <u>Next ></u>
-							Vie	w: Desktop A	pplications <u>Ne</u>	twork Applicati	ons Quick Search Search
	Application Name 🔺	Version	Machines Installed On	Estimated size (KB)	Installs Services	Installs Device Drivers	Provides DCOM Services	Has Shell Extensions	Include for Virtualization	System Application	Processes
	Adobe Acrobat Reader DC	18.011.20055	10	408,456	Yes		No	No	No	No	acrord32.exe, adobecollabsync.exe, adobearm.exe, rdrcef.exe, armsvc.exe, reader_sl.exe
	Adobe Acrobat Reader DC	18.011.20038	19	410,836	Yes		No	No	No	No	acrord32.exe, adobecollabsync.exe, adobearm.exe, rdrcef.exe, armsvc.exe, reader_sl.exe
	Adobe Acrobat Reader DC	18.011.20040	16	410,137	Yes		No	No	No	No	acrord32.exe, adobecollabsync.exe, adobearm.exe, rdrcef.exe, 32bitmapibroker.exe, armsvc.exe, reader_sl.exe
	Adobe Acrobat Reader DC	18.009.20050	14	410,206	Yes		No	No	No	No	acrord32.exe, adobecollabsync.exe, adobearm.exe, rdrcef.exe, adobereader, 32bitmapibroker.exe, adobecrdaemon, armsvc.exe, rdrcef, reader_sl.exe, rdrcef helper
	Adobe Acrobat Reader DC	17.009.20044	6	364,351	Yes		No	No	No	No	acrord32.exe, adobecollabsync.exe, rdrcef.exe, adobearm.exe, armsvc.exe

For example, you can use the Machine Inventory to view specific details about a device's hardware, operating system, and installed applications along with patches.

1. Go to Inventory > Machines and select a machine. Then click on the Edit button.

liqu											<u>Stratusph</u>	ere UX 🔻 <u>Prin</u>	t <u>Help</u>	<u>Log Out</u>
Dia	gnostics	Inventory	dvanced											
Ma	chines User	s Application	s Su	bnets										
Ma	chines											Page 1	of 47 <u>< Pr</u>	<u>ev Next ></u>
New	Selected 1	Edit Add To 0	Group	Delete Unselect	More acti	ons	Ŧ		Viev	v: Individual Ma	chines <u>Grou</u>	Quick Sear	ch	Search
	Name	IP Address	Make	Model	Directory	Туре	OS Version	Host	VM Directory	Connector ID Key Version	Created On	Last Contact	Uptime	Pending Reports
	surfer-172-29- 1-37-hotspot	217.225.204.97	Apple	MacBookPro12,1	Local Directory	Physical - Apple	Mac OS X Release 10.13.6 (Build 17G65) High Sierra			Standard 64b 6.0.9-1	Sep 13, 2018 11:42:18 AM EDT	Sep 13, 2018 5:08:12 PM EDT	7 day 5 hr 10 min	0
	macbook-pro	93.202.59.15	Apple	MacBookPro12,1	Local Directory	Physical - Apple	Mac OS X Release 10.13.6 (Build 17G65) High Sierra			Standard 64b 6.0.9-1	Mar 19, 2018 8:23:44 AM EDT	Sep 13, 2018 2:04:16 AM EDT	6 day 14 hr 6 min	
	surfer-172-29- 1-37-hotspot	93.202.59.15	Apple	MacBookPro12,1	Local Directory	Physical - Apple	Mac OS X Release 10.13.6 (Build 17G65) High Sierra			Standard 64b 6.0.9-1	Sep 12, 2018 12:57:27 PM EDT	Sep 12, 2018 9:22:08 PM EDT	6 day 9 hr 24 min	0

2. View the hardware and OS configuration under the **Machine Properties** tab.

liquidware _{Stratusphere}	Stratusphere UX V Print Help Log Out
Diagnostics Inventory Advanced	
Machines Users Applications Subnets	
Edit Machine: macbook-pro	
Machine Properties Machine Group Membership Connector ID Key Properties Installed Applications	
Vuser Editable Properties	
* Name: macbook-pro	
* Fully Qualified Name: macbook-pro	
* IP Address: 93.202.59.15	
Description:	
Save Changes Cancel	



3. Select the Installed Applications tab to see more details on the software installed on the device.


iagnostics Inver	itory Advanced					
achines Users	Applications Subnets					
dit Machine: m	acbook-pro					
lachine Properties	Machine Group Membership Connector ID Key Properties Installed Applications					
						Searc
Application	Version	Estimated Size	Uses Services	Installs	Processes	Date
50onPaletteServer	1.1.0	890	 			May 12, 2017
54-Bit (Intel) No	6.2.0.42 (BuildVersion: 6.2; BuildDate: Wed Aug 22 2012 18:00:00) Copyright 2010-2012 Adobe Systems Incorporated. All rights reserved.	3,476				
54-Bit (Intel) Yes	2.0.0.10 (BuildVersion: 2.0; BuildDate: Tue Jul 05 2011 18:00:00) Copyright 2010-2011 Adobe Systems Incorporated. All rights reserved.	1,822				
AAM Registration Notifier	10.0.194	385				
AAM Registration Notifier	3.0.64.0	327				
AAM Registration Notifier	7.0.0.485	375				
AAM Updates Notifier	9.0.0.281	1,114			aam updates notifier	
AAMLauncherUtil	10.0.0.49	375				
ASIapp	10.0.0.194	451				
ABAssistantService	11.0	66			abassistantservice	
ACCFinderBundleLoader	2.3.0.197	1,662				
OSAlertManager	1.07	170				May 12, 2017
AOSHeartbeat	1.07	302			aosheartbeat	May 12, 2017
OSPushRelay	1.07	255				May 12, 2017
ARDAgent	3.9.7	3,798				
ARDAgent	3.9.6	3,794				
AVB Audio Configuration	1.0	852				Jun 19, 2018
AVG AntiVirus	18.3	22,258			avgantivirus	
AVG AntiVirus	18.2	21,663			avgantivirus	
AVG Cleaner	4766	26,973				

Diagnostics 1: End-To-End Performance Analysis


Once you have deployed Stratusphere for monitoring and validation, you are ready to begin generating reports and analyzing the environment. This section provides information on the key Inspector views and reports from the Report Library that will help you analyze the performance of your VDI environment.

Machine Performance Analysis

To begin examining machine performance, navigate to **Diagnostics > Inspectors**. Select the view **Top Consumer Charts** in the drop-down and then click the **Go** button to generate the charts for your diagnostics date range. Using this chart, you can quickly identify the top resource consumers.



To see summary details for each machine, select the Inspector view **Machine Diagnostics Summary**, change the Date Range to Last 24 Hours, and click the **Go** button. This view lists more details for each machine.



To see further details, click on the drill-down button on the left side of a selected row, and drill-down to see the machine inspection history for a specific machine. This will show a breakdown for every report that the Connector ID Key sent back for the specified machine. Note that once you drill down, the machine name is automatically specified in the **Machine/Group** filter for the Inspector.

	Machine	Report v Time	Login Delay Avg.(s)	App. Load Avg.(s)	CPU Avg. (%)	CPU Queue Avg.	Context Switch Avg.(/s)		Page File Avg.(%)	Page Fault Avg.	Disk IOPS Avg.	Disk Queue Avg.	Network Avg.(KB/s)	Roundtrip Latency Avg.(ms)	Connects Failed	Graphics Intensity	ANR	VDI UX
V	sevws12- 03.se.lwl.corp	Oct 16, 2018 4:16:22 PM EDT	n/a	n/a	4.4	1	1,123	38.3	0	461	0.3	n/a	0.4	n/a	0	5	0	Good
V	sevws12- 03.se.lwl.corp	Oct 16, 2018 4:06:22 PM EDT	n/a	n/a	3.8	0.5	981	38.1	0	391	0.3	n/a	0.5	n/a	0	5	0	Good
V	sevws12- 03.se.lwl.corp	Oct 16, 2018 3:56:22 PM EDT	n/a	n/a	4.7	n/a	1,095	37.9	0	483	0.3	0	0.5	n/a	0	5	0	Good
V	sevws12- 03.se.lwl.corp	Oct 16, 2018 3:46:22 PM EDT	n/a	n/a	3.9	1.8	1,000	37.5	0	412	0.3	n/a	0.5	n/a	0	5	0	Good
V	sevws12- 03.se.lwl.corp	Oct 16, 2018 3:36:22 PM EDT	n/a	n/a	4.3	n/a	1,066	37.1	0	460	0.3	n/a	0.4	n/a	0	5	0	Good


To get a complete view of the machine, host, SAN, and application data gathered for the specific machine during this period, select the Inspector view **Desktop 360**° View and click **Go**.

5 Stratusphere Diagnostics In	ventory	Advance	d														
Inspectors Dash	boards i	Reports	Alerts	VDI UX Pro	file												
Select Inspector: De	esktop 360° \	/iew	•	Go													
Last 24 Hours	(Oct 15, 201	8 4:21:02	PM EDT) - (0	oct 16, 201	8 4:21:02	PM EDT)	No filter							R	efresh Page	Clear	Filte
Machine / Group:							ate Range:			0.0.0					on oon a ge		
User / Group:			p (OL.IM.CO				ace range.	Last 24			om	•					
	Type to see	ircii						LdSt 24	+ Hour:	•		•					
VDI UX Tren	nd																
					VD	I UX Tre	nd										
1.5																	
1.2														_			
	<u> </u>				<u> </u>		<u> </u>	o			-9	8 2-	<u>~~</u> ~				
S 0.9							$\langle \rangle$						Λ				
0.6	/					/					- V	V /		_			
₽ 0.3			$ \setminus /$								_Λ	Λ /					
0.5							1						\				
0 0					<u>۱</u>		\ \										
	<u> </u>	~~~	<u> </u>	<u> </u>	<u> </u>		\rightarrow	<u> </u>				<u>v v</u>	\rightarrow				
	• <u> </u>	°°	¥	- oo		- Fair	◆ Poor	~~~		-0		<u>v v</u>	~~~				
	·	°°	~~×	• •	- Good	← Fair	◆ Poor	~ ~~~	-0	~		<u>v</u> v	<u> </u>				
▼ Desktop	··	°°	~~~~~	->>-	Good	◆ Fair	◆ Poor					<u>v v</u>					
Desktop Machine	Login Delay	App. Load	CPU Avg. (%)	CPU Queue Ava	Context Switch	◆ Fair Memory Avg.(%)	◆ Poor Page File Avg.(%)	Fault	IOPS	Queue	Net Avg.(pundtrip atency atency	Connects Failed	Graphics Intensity	ANR	
Machine	Delay Avg.(s)	App. Load Avg.(s)		Queue Avg.	Context	Memory	Page File	Coult			Net Avg.(0.5		atency g.(ms)	Connects Failed		ANK	UX
Machine	Delay Avg.(s)	Avg.(s)	Avg. (%)	Queue Avg.	Context Switch Avg. (/s)	Memory Avg.(%)	Page File Avg.(%)	Fault Avg.	IOPS Avg.	Queue Avg.	Avg.(KB/s) Av	atency g.(ms)	Failed 0	Intensity	0 (UX 600
Machine evws12-03.se.lwl.corp Showing 1 - 1 of 1 🔽	Delay Avg.(s)	Avg.(s)	Avg. (%)	Queue Avg.	Context Switch Avg. (/s)	Memory Avg.(%)	Page File Avg.(%)	Fault Avg.	IOPS Avg.	Queue Avg.	Avg.(KB/s) Av	atency g.(ms)	Failed 0	Intensity 4.6	0 (UX 600
Machine evws12-03.se.lwl.corp Showing 1 - 1 of 1 🔽	Delay Avg.(s) n/a Active V	Avg.(s) n/a /Ms Cl	Avg. (%) 4.2 PU Usage	Queue Avg. 0.6 CPU Rea	Context Switch Avg. (/s) 1,041.8 dy CPU	Memory Avg.(%) 38.1 J Limited	Page File Avg.(%) 0 Memor	Fault Avg. 0.1	IOPS Avg. 0.3	Queue Avg. 0 Disk IO	Avg.(KB/s) L Av n/a	atency rg.(ms)	Failed 0 I Network IO	Intensity 4.6 Page 1 of 1	ANR 0 (<u>< Prev t</u> ets Pao	UX Good lext
Machine evws12-03.se.lwl.corp Showing 1 - 1 of 1 T Host Host	Delay Avg.(s) n/a	Avg.(s) n/a /Ms Cl	Avg. (%) 4.2 PU Usage vg. (%)	Queue Avg. 0.6	Context Switch Avg. (/s) 1,041.8 dy CPU	Memory Avg.(%) 38.1	Page File Avg.(%) 0	Fault Avg. 0.1	IOPS Avg. 0.3	Queue Avg. 0 Disk IO	Avg.(KB/s) L Av n/a Disk Later Avg. (ms	atency rg.(ms) ncy) /	Failed 0	Intensity 4.6 Page 1 of 1	ANK 0 (<u>< Prev t</u> ets Pac g. TX	cket Avg
Machine evws12-03.se.lwl.corp Showing 1 - 1 of 1 💌 Host Host	Active V Avg.(s)	Avg.(s) n/a /Ms Cl A	Avg. (%) 4.2 PU Usage vg. (%)	Queue Avg. 0.6 CPU Rea Avg. (%	Context Switch Avg. (/s) 1,041.8 dy CPt	Memory Avg.(%) 38.1 J Limited	Page File Avg.(%) 0 Memor Avg.	Fault Avg. 0.1	IOPS Avg. 0.3	Queue Avg. 0 Disk IO	Avg.(0.5 s)	KB/s) L Av n/a Disk Later Avg. (ms	atency rg.(ms) ncy) /	Failed 0 Network IO Avg. (KB/s) 20.2	Intensity 4.6 Page 1 of 1 P Packe RX Av	ANR 0 (2 < Prev 1 2 < Prev 1 2 4 5 (57) 4 4 6 7 5 (57) 4 6 7 7 5 (57) 6 7 7 5 (57) 7 7 5 (57) 7 7 7 7 7 7 7 7 7 7	UX Good lext lext Avg 7
Machine avvs12-03.se.lwl.corp Showing 1 - 1 of 1 Host Host Avs03.se.lwl.corp Showing 1 - 1 of 1	Active V Avg.(s)	Avg.(s) n/a /Ms Cl A	Avg. (%) 4.2 PU Usage vg. (%)	Queue Avg. 0.6 CPU Rea Avg. (%	Context Switch Avg. (/s) 1,041.8 dy CPt	Memory Avg.(%) 38.1 J Limited	Page File Avg.(%) 0 Memor Avg.	Fault Avg. 0.1	IOPS Avg. 0.3	Queue Avg. 0 Disk IO	Avg.(0.5 s)	KB/s) L Av n/a Disk Later Avg. (ms	atency rg.(ms) ncy) /	Failed 0 Network IO Avg. (KB/s) 20.2	A.6 Page 1 of 1 Packe RX Av 100,667	ANR 0 (2 < Prev 1 2 < Prev 1 2 4 5 (57) 4 4 6 7 5 (57) 4 6 7 7 5 (57) 6 7 7 5 (57) 7 7 5 (57) 7 7 7 7 7 7 7 7 7 7	UX Good Jext Lext Avg 7
Machine evws12-03.se.lwl.corp Showing 1 - 1 of 1 Host Host evs03.se.lwl.corp Showing 1 - 1 of 1	Avg.(s) n/a Active V Avg. 4.9	Avg.(s) n/a /Ms Cl A	Avg. (%) 4.2 PU Usage vg. (%)	Queue Avg. 0.6 CPU Rea Avg. (% 0.3	Context Switch Avg. (/s) 1,041.8 dy CPI Av 0	Memory Avg.(%) 38.1 J Limited	Page File Avg.(%) 0 Memor Avg. 40.7	Fault Avg. 0.1 y Usage (%)	IOPS Avg. 0.3	Queue Avg. 0 Disk IO wg. (KB/	Avg.(0.5 s) (KB/s) L KB/s) Av n/a Disk Later Avg. (ms	atency g.(ms) h hcy l) 2,3	Failed 0 Network IO Avg. (KB/s) 20.2	Intensity 4.6 Page 1 of 1 Packer RX Av 100,667 Page 1 of 1 Packer	ANR 0 (2 < Prev f 2 3 4 5,67 2 < Prev f 4 4 5,67 2 4 5 5 5 5 6 7 5 7 6 7 7 7 7 7 7 7 7 7 7	UX Good lext ckel Avg 7
Machine evws12-03.se.lwl.corp Showing 1 - 1 of 1 V V Host Host evs03.se.lwl.corp Showing 1 - 1 of 1 V V Datastore	Active V Avg.(s)	Avg.(s) n/a /Ms Cl A	Avg. (%) 4.2 PU Usage vg. (%)	Queue Avg. 0.6 CPU Rea Avg. (% 0.3	Context Switch Avg. (/s) 1,041.8 dy CPU Av 0	Memory Avg.(%) 38.1 J Limited	Page File Avg.(%) 0 Memor Avg. 40.7	Fault Avg. 0.1 y Usage (%)	10PS Avg. 0.3	Queue Avg. 0 Disk IO vg. (KB/	Avg.(0.5 s) (KB/s) L KB/s) Av n/a Disk Later Avg. (ms	atency g.(ms) h h cy l 2,3	Failed 0 Network IO Avg. (KB/s) 20.2	Intensity 4.6 Page 1 of 1 Packer RX Av 100,667 Page 1 of 1 Page 1 of 1 Page 2 Packer RX Av	ANR 0 (2 < Prev 1 2 3 4 5 6 7 5 6 7 6 7 7 7 9 1 1 1 1 1 1 1 1 1 1	UX Good lext ckel Avg 7
Machine avvs12-03.se.lwl.corp Showing 1 - 1 of 1 Host Host avs03.se.lwl.corp Showing 1 - 1 of 1 Datastore E Storage (SEUXF1)	Active V Avg.(s) n/a Active V Avg. 4.9 Storage	Avg.(s) n/a /Ms Cl A	Avg. (%) 4.2 PU Usage vg. (%)	Queue Avg. 0.6 CPU Rea Avg. (% 0.3	Context Switch Avg. (/s) 1,041.8 dy CPI Av 0	Memory Avg.(%) 38.1 J Limited Ig. (%)	Page File Avg.(%) 0 Memor Avg. 40.7	Fault Avg. 0.1 y Usage (%)	10PS Avg. 0.3	Queue Avg. 0 Disk IO wg. (KB/ 5.9 Re IO	Avg.(0.5 s) (KB/s) L (KB/s) Av n/a Disk Later Avg. (ms	atency g.(ms) h hcy l) 2,3	Failed 0 Network IO 20.2 Wri IO 0 0.28	Intensity 4.6 Page 1 of 1 Packer RX Av 100,667 Page 1 of 1 Page 1 of 1 Page 2 Packer RX Av	ANK 0 K 0 K 0 K 0 K 0 K 0 K 0 K 0 K 0 K	UX 5000 lext lext Avg 7 lext
Machine evws12-03.se.lwl.corp Showing 1 - 1 of 1 Host Host evs03.se.lwl.corp Showing 1 - 1 of 1 Datastore E Storage (SEUXF1) Showing 1 - 1 of 1 Showing 1 - 1 of 1 E Storage (SEUXF1)	Active V Avg.(s) n/a Active V Avg. 4.9 Storage	Avg.(s) n/a /Ms Cl A	Avg. (%) 4.2 PU Usage vg. (%)	Queue Avq. 0.6 CPU Rea Avg. (% 0.3	Context Switch Avg. (/s) 1,041.8 dy CPI Av 0	Memory Avg.(%) 38.1 J Limited Ig. (%)	Page File Avg.(%) 0 Memor Avg. 40.7	Fault Avg. 0.1 y Usage (%)	10PS Avg. 0.3	Queue Avg. 0 Disk IO wg. (KB/ 5.9 Re IO	Avg.(0.5 s) (KB/s) L (KB/s) Av n/a Disk Later Avg. (ms	atency g.(ms) h hcy l) 2,3	Failed 0 Network IO 20.2 Wri IO 0 0.28	Intensity 4.6 Page 1 of 1 [Page 1 of 1 [Page 1 of 1 [Page 1 of 1 [Page 1 of 1 [Page 1 of 1 [Page 1 of 1 [Page 1 of 1 [Page 1 of 1 [Page 1 of 1 [Page 1 of 1 [Page 1 of 1 [ANK 0 K 0 K 0 K 0 K 0 K 0 K 0 K 0 K 0 K	UX 5000 lext lext Avg 7 lext
Machine evws12-03.se.lwl.corp Showing 1 - 1 of 1 Host evs03.se.lwl.corp Showing 1 - 1 of 1 Datastore E Storage (SEUXF1) Showing 1 - 1 of 1	A Delay Avg.(s) n/a Active \ Avg. 4.9 Storage	Avg.(s) n/a /Ms Cl A	Avg. (%) 4.2 PU Usage vg. (%)	Queue Avq. 0.6 CPU Rea Avg. (% 0.3	Context Switch Avg. (/s) 1,041.8 dy CPI Av 0	Memory Avg.(%) 38.1 J Limited g. (%) 53	Page File Avg.(%) 0 Memor Avg. 40.7 Storac Used (%	Fault Avg. 0.1 y Usage (%)	10PS Avg. 0.3	Queue Avg. 0 Disk IO vvg. (KB/ 4.9 Re IO 0.00	Avg.(0.5 s) (ad PS	Disk Later Avg. (ms 0.78 Total CPU	atency rg.(ms) a ncy 1 2,3 2,3 2,3 2,3	Failed 0 Network IO Vayg. (KB/s) 20.2 Vitility 0 Vitility Vitily Vitily Vitility Vitility Vitility Vitility Vit	Intensity Packet ************************************	ANK 0 2 < Prev 1 2 3 4 5 4 5 6.11 2 < Prev 1 5 6.11 3 5 6 7 6 7 7 7 7 7 7 7 7 7 7	UX Good lext Avg 7 lext
ews12-03.se.lwl.corp Showing 1 - 1 of 1 Host Host evs03.se.lwl.corp Showing 1 - 1 of 1 Showing 1 - 1 of 1 Desktop App	A Delay Avg.(s) n/a Active V Avg. 4.9 Storage	Avg.(s) n/a /Ms Ct A 12.8	Avg. (%) 4.2 PU Usage vg. (%)	Queue Avg. 0.6 CPU Rea Avg. (% 0.3 N 0 1	Context Switch Avg. (/s) 1,041.8 dy CPI Av 0	Memory Avg.(%) 38.1 J Limited g. (%) 53	Page File Avg.(%) 0 Memor Avg. 40.7 Storac Used (%	r Fault Avg. 0.1 y Usage (%)	10PS Avg. 0.3	Queue Avg. 0 Disk IO vvg. (KB/ 4.9 Re IO 0.00	Avg.(0.5 s) (ad PS	Works) L Ave	atency rg.(ms) a hcy b 2,3 2,3 2,3 3 3 4 8/s	Failed 0 Network IO Vayg. (KB/s) 20.2 Vitility 0 Vitility Vitily Vitily Vitility Vitility Vitility Vitility Vit	Intensity Packet ************************************	ANK 0 2 < Prev 1 2 3 4 5 6.11 2 < Prev 1 4 5 6.11 2 < Prev 1 5 6 1 2 < Prev 1 5 1 1 1 1 1 1 1 1 1 1 1 1 1	UX 5000 lext Avg 7 lext


For additional insight, run some of our standard reports in the Stratusphere Report Library. Go to **Diagnostics** > **Reports** and filter the reports for the time period you are analyzing.

Host Performance Analysis

To examine host performance, go to **Diagnostics > Inspectors** and select **Hypervisor Hosts** from the drop-down list of views. Then click the **Go** button. To see details about the machines running on a specific host, click on the drill-down button next to the Host name.




Stratusphere will switch to the **Machine Diagnostics Summary** view to show machines running on that host. Note that once you drill down, the host name is automatically specified in the **Machine/Group** filter for the Inspector.




For additional summary reports on host performance, go to **Diagnostics > Reports** and run the reports for the time period you are analyzing.

Network Performance Analysis

To gain a graphical view of network connections, with an ability to drill down on the performance data, navigate to **Diagnostics > Inspectors**, select the **Network Connection Map** from the drop-down list of views, and click the **Go** button. Next you will need to select one of your VMs as the Target Machine, then click the Draw Map button.




For an overall view of network performance data by application (port/protocol), select the **Network Application Summary** from the Inspector view drop-down, and click on the **Go** button. To view data for a specific application such as RDP, select the application from the filter drop-down at the top of the page.



To print reports on network performance, go to **Diagnostics > Reports** and run some of Stratusphere's standard reports.

SAN Performance Analysis

To view SAN performance data, with an ability to drill-down and find the specific machines and applications consuming SAN, go to **Diagnostics > Inspectors** and select **Storage Volumes** from the view drop-down and click the **Go** button. The list of datastores is displayed, and you can drill-down to see the trend graph and the VMs (that have Connector ID Keys) using the datastore during the specified period.




Diagnostics 2: Trend Analysis and Alerts

Stratusphere UX provides extensive capabilities to analyze trends and to setup alerts that can be delivered via email or RSS. This section provides an overview of the key features.

Trend Analysis

To examine performance trends, navigate to **Diagnostics > Inspectors** and select the **VDI UX Trends Chart** view from the drop-down. Then click the **Go** button. The trend chart allows you to select the timeframe, and to select the metrics to compare on the bar charts and the line graph. You can use this chart to view trends and to see how metrics are correlated.



Alerts

Stratusphere UX also includes a set of pre-configured alert options. Alerts can be viewed in the Hub UI, delivered via email, or subscribed to using an RSS reader. To view alerts, navigate to **Diagnostics > Alerts**.

liqı				Stratusphere UX V Print He	lp Log Out
Dia	gnostics Invent	tory Adv	ranced		
Ins	pectors Dashboard	ds Report	ts Alerts VDI UX Profile		
	rts 🔊		Copy link to subscribe to Alert RSS feed.	Page 1 of 34 <u>-</u>	< Prev <u>Next ></u>
	figure Alerts	Type	Click button to setup or edit alerts.	Quick Search	Search Report Link
	Oct 17, 2018 10:43:10 AM EDT	Machine	Condition: , Machine CPU consumption/queue not within limits for reports received between Oct 17, 2018 10:13:10 AM and Oct 17, 2 period: Oct 17, 2018 10:19:24 AM to Oct 17, 2018 10:29:24 AM	Click on link to view detailed report on alert.	View Report
	Oct 17, 2018 10:43:10 AM EDT	Machine	Condition: , Machine CPU consumption/queue not within limits for reports received between Oct 17, 2018 10:13:10 AM and Oct 17, 2 Report period: Oct 17, 2018 10:20:36 AM to Oct 17, 2018 10:30:37 AM		View Report
	Oct 17, 2018 10:43:10 AM EDT	Machine	Condition: , Machine CPU consumption/queue not within limits for reports received between Oct 17, 2018 10:13:10 AM and Oct 17, 20 period: Oct 17, 2018 10:26:42 AM to Oct 17, 2018 10:36:42 AM	18 10:28:10 AM Machine: mcvf-pc Report	View Report
	Oct 17, 2018 10:43:10 AM EDT	Machine	Condition: , Disk consumption/performance not within limits for reports received between Oct 17, 2018 10:13:10 AM and Oct 17, 2018 Win7.lwl.corp Report period: Oct 17, 2018 10:26:48 AM to Oct 17, 2018 10:36:48 AM	10:28:10 AM Machine: vDKhare-	View Report

To configure alerts, click on the **Configure Alerts** button. You can specify how often Stratusphere should check alert thresholds, choose the type of alerts to configure, and set the appropriate threshold for each alert.

Alert Conditions
Choose how often to check for alerts and the event thresholds for an alert. An alert will be triggered if any one of the following thresholds are met.
* Check interval: 15 minutes V
Machine events
Alert based on poor VDI UX rating
Alert when more than 5 machines are rated poor for VDI UX since last check
Alert when more than 5 user logins exceed 30 seconds
✓ Alert based on machine CPU consumption
Alert when a single machine exceeds more than 80 percent of CPU
Alert based on machine CPU queue length
Alert when a single machine's CPU queue length exceeds more than 5 since last check
Alert based on machine memory consumption
Alert when a single machine exceeds more than 80 percent of memory
Alert based on application CPU consumption
Alert when a single application averages more than 80 percent of CPU on a single machine
Alert based on application memory consumption
Alert when a single application averages more than 80 percent of memory on a single machine
Alert based on system page fault rate
Alert when a single machine averages more than 50 page faults per sec
Alert based on disk consumption
Alert when any machine exceeds 80 percent of allocated disk space on a single disk partition

Storage events		
٦.	~	Alert based on disk IOPS
		Alert when a single machine reports disk IO that exceeds 80 IOPS since last check
با م	~	Alert based on disk queue
		Alert when a single machine disk queue length exceeds $\overline{3}$ since last check

Network events		
	•	Alert based on network latency
		Alert when incoming roundtrip network latency for any machine exceeds 500 milliseconds
	•	Alert based on unauthorized activity
		Alert when unauthorized activity exceed 10 connections since last check
	•	Alert based on service level failures
		Alert when service level failures exceed 10 connections since last check
		Alert based on incomplete connections
		Alert when incomplete connections exceed 10 attempts since last check

Host events	
	y Alert based on host CPU consumption
	Alert when a single host exceeds more than 80 percent of CPU
	_በ Alert based on host CPU ready
	Alert when a single host reports that it exceeds more than 5 percent average CPU ready on active VMs
	Alert when a single host reports that it exceeds more than b percent average cro ready on active visis
	H Alert based on host memory consumption
	A Reit Dased on nost memory consumption
	Alert when a single host exceeds more than 80 percent of memory
	9 Alert based on host memory swapped
	Alext when a simple heat reports that it avecade more than 20 percent of moment avenue.
	Alert when a single host reports that it exceeds more than 20 percent of memory swapped
	HAlert based on host disk IOPS
	Alert based on host disk 10F5
	Alert when a single host reports disk IO that exceeds 500 IOPS since last check
	a Alert based on host disk latency
	Alert when a single host disk latency exceeds 50 milliseconds since last check
	Alert when a single host disk latency exceeds [50 milliseconds since last check

You can also specify one or more email address where alerts should be delivered.

Alert Notification	
In addition to viewing alerts	in Stratusphere, you can be notified via e-mail and SNMP.
	Send e-mail notification when an alert occurs
	* Reply-to address:
	help@test.com
	A single email address. If a recipient replys to the alert, the reply will be directed to this address.
	* To addresses:
	alert_team@test.com
	Comma-separated email addresses.
	Send SNMPv2 Trap when an alert occurs
	* SNMP Trap Destination: The IP address of the Network Monitoring System or SNMP Manager.
	* SNMP Community String:

In addition to threshold alerts, scheduled reports can also generate alerts once the report run is finished. This means that you can setup alerts based on existing reports in the Report Library or create custom reports and generate custom alerts. To setup an alert based on a report, navigate to **Diagnostics > Reports**, select a report from the list, and click on the **Edit** button. In the Edit form, you will need to setup a schedule to run the report and check the box to generate a custom alert. These alerts will be delivered and displayed exactly like other Alerts.


Schedule, Email and A	Nert	
Scheduled:	Yes O No	
Frequency:	Daily •	*Start time: 4:28 PM (HH:MM AM or HH:MM PM)
	Discard if report is empty	
	Generate custom alert	
	Custom alert message:	
	New <u>Stratusphere</u> <u>UX</u> Alert	
	Email report	
	To addresses:	
	Comma-separated email addresses.	
*Reply-to address:		

Diagnostics 3: Summary Analysis and Recommendations

The final step in using Stratusphere for VDI diagnostics and user experience analysis is to generate the summary analysis and findings reports. The VDI UX categorization (Good/Fair/Poor UX for VDI) used in many of the reports is based on the VDI UX Profile settings discussed previously while learning the basics of Stratusphere. In this section, we cover the key summary reports you can generate and use to construct your final diagnostic deliverables.

VDI UX Analysis

To examine the distribution of desktops or users falling into different categories of VDI UX (Good/Fair/Poor), go to **Diagnostics > Inspectors**, select the **VDI UX Scatter Plot** view from the drop-down list, and generate the chart. You can choose to display by Machine or by User. You can drill-down to see more details on individual users or machines by clicking on nodes on the chart. You can also choose to display Average fitness ratings or the Lowest ratings which reflect peak periods of resource consumption.



Performance Time Chart and Comparison

Two key reports that you can use to analyze the performance of a time period or to compare the performance of one-time period to another are the Performance Time Chart and the Performance Comparison reports. These reports show you key performance metrics and identify top consumers for the machines, hosts and SAN, and can be used to help identify whether there are performance problems and what might be the specific causes.


Diagnostic Findings Summary

The Diagnostic Findings report is a single summary Microsoft PowerPoint that includes graphs and data from many of the reports listed in sections above, all combined into a single report designed for you to customize and adapt to fit your needs. It includes information on the overall diagnostic data, the findings and analysis, and placeholders for your final recommendations. This report can be useful as the basis for a summary report following a VDI health check project or a VDI pilot.

To generate the report, login to Stratusphere UX and go to the **Diagnostics > Reports** tab. Select the **UX Health Check Reports** category. Check the Diagnostic Findings report in the list and click the **Run** button. Make any adjustments to the criteria for the report including the time period to cover. Optionally you can also specify a specific machine group or a specific user group to report on. Click **OK** when ready to run the report. Note that this report may take 5 minutes or more to run, depending on the period and the amount of data gathered.

Dia	gnostics Inventory	Advanced									
Insp	pectors Dashboards	Reports Alerts VDI UX Profile									
Rep	oort Library Ca	tegory: UX Health Check Reports	•			Page 1 of 1 <u>< Prev Next</u>					
New Selected 1: Search Archives Edit Quick Search Search Search											
	Category 🔺	Report	Schedule	Supported Formats	Archived	Criteria					
	UX Health Check Reports	301. Performance Time Chart		PPT, PDF	0	Last 24 Hours					
	UX Health Check Reports	302. Applications Not Responding		XLS	0	Yesterday (prior calendar day)					
	UX Health Check Reports	303. Network Application Summary		PDF, XLS	0	Station group Default Collector Group, Yesterday (prior calendar day)					
	UX Health Check Reports	304. SAN Performance Summary		PDF, XLS	0	Yesterday (prior calendar day)					
	UX Health Check Reports	305. Peak Resource Consumers		PDF, XLS	0	Yesterday (prior calendar day)					
	UX Health Check Reports	306. Least Utilized Desktops - No Logins		PDF, XLS	0	Yesterday (prior calendar day)					
	UX Health Check Reports	307. Key Metrics Time Chart Averaged By Hour		PDF, XLS	1	Yesterday (prior calendar day)					
	UX Health Check Reports	308. Key Metrics Averaged By Hour		PDF, XLS	1	Yesterday (prior calendar day)					
	UX Health Check Reports	309. Key Metrics Aggregated By Hour (Business Hours)		PDF, XLS	1	Yesterday (prior calendar day)					
~	UX Health Check Reports	310. Diagnostic Findings		PPT, PDF	1	Last 24 Hours					
	UX Health Check Reports	311. User Experience Key Metrics Time Chart		PDF	1	Last 24 Hours					
	UX Health Check Reports	312. User Experience Key Metrics Averaged By Hour		PDF	1	Last 24 Hours					

The resulting file will be stored in the Reports archive, where you can access and download the PowerPoint report.



For additional diagnostic reports, run some of the standard reports in the Stratusphere Report Library. Go to **Diagnostics > Reports** and filter the reports for the time period you are analyzing.

Using the Stratusphere UX Advanced Mode

In Stratusphere UX the Advanced Mode provides faster and more flexible methods to view and analyze your data in detail. The Advanced Mode includes purpose-built views, drill downs, graphs, and optimized queries for metric data selection. This new technology will enhance your user experience and provide you with more flexibility and power when working with your data and understanding its impact in your environment.

The Advanced Mode can be accessed directly in Stratusphere UX under the Advanced tab.

Stratusphere UX V Print Help Log Out											
Diagnostics Inventory	Advanced										
Search	SpotChecks	Dashboards	Inspectors	Trends & Top Consumers	My Tab	Preferences					

The Advanced Mode consists of several different tabs running across the top bar. These tabs correspond to different approaches that can be used to inspect the metrics data that is collected by the Stratusphere Connector ID Key agents and sent back to the Stratusphere Hub.


Advanced Mode Search

When selecting the **Advanced** tab, the default view is the **Search** tab. The Advanced Mode Search tab offers an easyto-use front end to the Advanced Inspectors. The Search serves as a great first step in diagnosing Help Desk issues. This feature searches all the Advanced Inspectors and aggregates the data on to one screen.



Start by typing a search string and clicking the **Search Now** button. Valid search terms include user names, machine names, IP Addresses, application names, etc. The default is for Stratusphere to search all Advanced Inspectors. However, you can narrow the search by focusing in on an area listed below the search text box. This will limit the search parameters to the applicable area, enabling the search to execute faster.

In this case, we've searched for instances of the string "david" – one of the users in our demo environment. The screen below depicts the search results for this search string. The upper right corner shows the number of queries that Stratusphere has left to perform. Those queries are shown at the bottom of the screen while the search results are listed as another query finishes.




Note how Stratusphere presents you with results divided into important key areas, such as where the search string appears as a username, where the string has been connected to a machine name as well as the user groups and machine groups where this string appears. Scrolling down you may also note details on the applications, browser, disk, network, and other areas where this string appears in Stratusphere-collected metrics and information.

To hide the details of each search and show a consolidated report of what was found, click on the **Close All** button at the top of the search. To expand only one search area at a time, click on the specific search category link.

liquidware					Stratusp	here UX 🔻 Print Help Log Out
Diagnostics Inventory	Advanced					
Search	SpotChecks	Dashboards	Inspectors	Trends & Top Consumers	My Tab	Preferences
					\sim	
Search: 😮 🛛 🛛 🖓		🔰 🗴 Date: 🔽	day and 7 Days	Search Now	Stop Close A	II Open All Details
ALL APPLICATION BR	OWSER DISK DISPLAY	EVENT GROUP IP I	OGIN MACHINE N	ETWORK USER VDIRECTORY	Completed: 87 @	91 seconds
1 Login based rows f 1 User Name based						
2 User Name based	rows found showing Ma	achines 🖾 🤂 🞚				
6 User Name based	rows found showing Ma	achine Groups 🛛 🖓	€ III			
User Name: david				Host sevs03.se.lwl.corp		
User Name: david User Name: david				Host sevs04.se.lwl.corp eet Applicaiton X Control Group		
User Name: david			oup Name: Virtual M			
User Name: david			oup Name: Virtual S			
User Name: david		Machine Gro	oup Name: XenApp-	RDSH		
20 Application based	rows found showing O	wner Name, Applicati	on Name, Proces			
9 Application based	rows found showing Us	ser Name, Pn Remote	Domain, Owner	Name 🛛 🖓 🎟		
2 Browser based row	vs found showing User s	s, Domain 🛛 🖓 😯				
7 Event Log based re	ows found showing Use	ers, Log Id, Log Messa	ige 🗗 🤁 (
2 Alert based rows for	ound showing Users, C	ondition 🛛 🖓 🕻				
5 Login Details Colu	umn based rows found	showing Event or Proc	ess and User Na	me 🗗 🤁 🏢		
1 Remote Display b	ased rows found showi	ng User Name, Machir	nes, Remote Mac	chine, Remote IP 🛛 🖓 🗘	• •	
1 Inventory Machine	e based rows found sho	wing OS Version and L	ast Contact (all d	lays) l 🖸 🔁 🛄		
2 Command Argum	ent Application based	rows found showing A	oplication Name	and Owner Name 🛛 🖓 🔹	C• III	
2 Network based row	ws found showing Src U	Jser, Src Node, Src IP	C O 🔳			

Each search result entry provides a context-aware menu that offers additional choices such as the ability to launch a related 360-degree view, replace the search with this new term, or add this term to the existing search. To see the options, click on the search result link.



In this case, we found the user's machine name that we were looking for. Click on the Machine 360 option to get a general overview about this machine. From this Machine 360 report, we get a glimpse into the Advanced Inspector reports on this machine. From here, you can click on the Popout Inspector icon to the right of the report name to jump right to that inspector.

5 Stratusphere	360	Dashbo	ard to	r Mach	ine: s	evws1	.2-03.	se.Iv	/1.co	r p	35 ret	urned		Co	ompleted: 3	7 @ 53 sec	onds	
Refresh	Stop	Close All	Open All			[Date: To	day and 7	Days	•								
ALL APPLICAT			NTS EXPER			NETWORK												
Domain Overvie	w for Mac	nine (followi	ng date)	0 D														
Machine Name	Login Dom	ain O/S	Version	CID Version	UX FI Score Sco		App Not Resp (ANR)		Login Lo Count C		CPU Is Core tual Allocat	s Disk		Workload Ranking		Machine Count	Re Date A	CID cord: Avg nute:
sevws12-03.se.lwl.corp	@NO_LOGIN_	USER Windows	s: 6.3.9600:	cid64-6.1.0-1	A A	+ 0.0 s	ec 0	0 sec	0	0	1 2	1	1	2	0	1	7 1,33	31 mi
sevws12-03.se.lwl.corp		@se Windows	5:6.3.9600:	cid64-6.1.0-1	A A	4 15.6 se	ec 0	5 sec	1	1	1 2	1	1	1	2	1	1 1,44	40 mi
					_													+
				n Auth	Network	Policy	Policy	Poli		Profile			Abnormal					
Machine Name sevws12-03.se.lwl.corp	Login Name administrator	Login Tin 2018-10-08 17	ne Dela	y Attempt	Providers	Policy Computer 0.000 sec	User	Scri	pts S	ervice	Restore Network 22.380 sec 4	Shell	Abnormal Events	Count				
		-	ne Dela	y Attempt	Providers	Computer	User	Scri	pts S	ervice	Network	Shell	Events	Count				Þ
sevws12-03.se.lwl.corp	administrator	2018-10-08 17	ne Dela :08:00 5.0 se	y Attempt	Providers	Computer	User	Scri	pts S	ervice	Network	Shell	Events	Count				•
sevws12-03.se.IwI.corp Desktop Allocati	administrator	2018-10-08 17 (following d CPU Cores C	ne Dela :08:00 5.0 se late) C	y Attempt ac 0.095 sec	Providers 0.000 sec Page Ilocated	Computer 0.000 sec Disk Allocated	User 0.179 si Workload	Scri ec 0.00 Users on	pts S 00 sec 0 Machine	iervice 1.343 sec	Network 22.380 sec 4 CID Records Avg	Shell 4.078 sec CID Records	Events 0 CID Recor Tota	Count 147	CI D % Rec	ord		•
sevws12-03.se.lwl.corp Desktop Allocati Machine Name	administrator ion Details UX FIT Score Score	2018-10-08 17 (following d CPU Cores Allocated A	ne Dela :08:00 5.0 se late) C :PU MHz A illocated	y Attempt ac 0.095 sec ac 0.095 sec	Providers 0.000 sec Page Ilocated MB	Computer 0.000 sec Disk Allocated GB	User 0.179 s Workload Ranking	Scri ec 0.00 Users on Machine	pts S 00 sec 0 Machine	Service 0.343 sec 0.343 sec 0.343 sec 0.343 sec 0.345 se	Network 22.380 sec 4 CID Records Avg Minutes	Shell 4.078 sec CID Records Avg Hour	Events 0 CID Recor Tota s Hour	Count 147 147 ords al CII rs of	D % Reo Res Cou	ord int		•
sevws12-03.se.lwl.corp	administrator	2018-10-08 17 (following d CPU Cores Allocated A	ne Dela :08:00 5.0 se late) C :PU MHz A illocated	y Attempt ac 0.095 sec	Providers 0.000 sec Page Ilocated	Computer 0.000 sec Disk Allocated	User 0.179 si Workload	Scri ec 0.00 Users on	pts S 00 sec 0 Machine	iervice 1.343 sec	Network 22.380 sec 4 CID Records Avg	Shell 4.078 sec CID Records	Events 0 CID Recor Tota s Hour	Count 147	D % Reo Res Cou	ord		•
Sewws12-03.se.lwl.corp	administrator ion Details UX FIT Score Score A A+	2018-10-08 17 (following d Cores C Allocated A 2 3	ne Dela :08:00 5.0 se late) C :PU MHz A illocated ,990 MHz	Y Attempt C 0.095 sec C 0.095	Providers 0.000 sec Page Ilocated MB	Computer 0.000 sec Disk Allocated GB	User 0.179 s Workload Ranking	Scri ec 0.00 Users on Machine	pts S 00 sec 0 Machine	Service 0.343 sec 0.343 sec 0.343 sec 0.343 sec 0.345 se	Network 22.380 sec 4 CID Records Avg Minutes	Shell 4.078 sec CID Records Avg Hour	Events 0 CID Recor Tota s Hour	Count 147 147 ords al CII rs of	D % Reo Res Cou	ord int		•
Sewws12-03.se.lwl.corp	administrator ion Details UX FIT Score Score A A+	2018-10-08 17 (following d Cores C Allocated A 2 3	ne Dela :08:00 5.0 se late) C :PU MHz A illocated ,990 MHz	y Attempt ac 0.095 sec ac 0.095 sec	Providers 0.000 sec Page Ilocated MB	Computer 0.000 sec Disk Allocated GB	User 0.179 s Workload Ranking	Scri ec 0.00 Users on Machine	pts S 00 sec 0 Machine	Service 0.343 sec 0.343 sec 0.343 sec 0.343 sec 0.345 se	Network 22.380 sec 4 CID Records Avg Minutes	Shell 4.078 sec CID Records Avg Hour	Events 0 CID Recor Tota s Hour	Count 147 147 ords al CII rs of	D % Reo Res Cou	ord int		•
Sewws12-03.se.lwl.corp	administrator ion Details UX FIT Score Score A A+	2018-10-08 17 (following d Cores C Allocated A 2 3 ts (following Used	ine Defa io8:00 5.0 sc io8:00 5.0	Y Attempt C 0.095 sec C 0.095	Providers 0.000 sec Page Ilocated MB 1,295 MB Disk	Computer 0.000 sec Disk Allocated GB	User 0.179 s Workload Ranking	Scri ec 0.00 Users on Machine	pts S 00 sec 0 Machine	e Date Count 8	Network 22.380 sec 22.380 sec 22.380 sec 22.380 sec 23.380 sec 24.385 mins 24.345 mins 24.	Shell E.078 sec CID Records Avg Hour 22.41 hr Users on	Events 0 CID Recor Tota s 179.30	Count 147 al CII rs of 0 hrs 100.	D % Reo Res Cou	ord int		
Sews12-03 se.lwt.corp Desktop Allocati Machine Name Sews12-03 se.lwt.corp Desktop Constan	administrator ion Details UX FIT Score Score A A+ nption Unit	2018-10-08 17 (following d Cores C Allocated A 2 3 ts (following Used	e Dela 08:00 5.0 sr iate) C PUMHz A illocated A y990 MHz A date) C Page Me Used U MB	Attempt ac 0.095 sec 0.095 sec 1002 sec 1000 sec	Providers 0.000 sec Ilocated MB 1,295 MB I Disk Read IOPS	Computer 0.000 sec Allocated GB 39.7 GB Disk Write IOPS	User 0.179 si Workload Ranking 1 Disk Read KBs	Scri ec 0.00 Users on Machine 2 Disk Write	pts S 10 sec 0 Machine Count 1 Network Recv	e Date Count 8 Network Sent KBs	Network 22.380 sec / CID Records Avg Minutes 1,345 mins k Workload Ranking	Shell E.078 sec CID Records Avg Hour 22.41 hr Users on	Events 0 CID Recor Tota s 179.30	Count 147 al CII rs of 0 hrs 100.	D % Rec Res Cou .00 % CID Records Avg	CID Records Avg Hour	Records Total rs Hours	

Advanced Mode SpotChecks

A SpotCheck inspection is a point-in-time analysis that focuses on key user-experience metrics. The methodology leverages known levels of acceptable performance and baselines to identify infrastructure and platform constraints that can contribute to a poor user-experience. A SpotCheck inspection takes a broad look at overall infrastructure and platform health to provide a "point-in-time" picture of resource usage and performance of the virtual or cloud environment.

A SpotCheck inspection can be performed at any time. The methodology was designed to assist in the cursory examination of architectures in immediate jeopardy as well as in systems that appear to be operating normally.

A key characteristic of the SpotCheck is that it focuses on the most important metrics that are relevant to the userexperience. It is not a comprehensive process with complete visibility of all details. Rather, the technique is used to bring issues into focus without a time-intensive diagnostic exercise.

Before jumping in, it is important to understand your business or industry as well as company and departmental elements such as work habits, seasonality, time of day, expectations, approximate system loads, core applications, etc. These elements are critical for data interpretation as well as for threshold evaluation. For example, where shift and other time-dependent staff workloads may exist, moderate-to-high storage latency may be acceptable during shift changes (with high numbers of people logging in and out). However, these storage characteristics will not be acceptable during work hours, as they will impede productivity and contribute to a negative user-experience and loss of productivity.

The Stratusphere **Advanced > SpotChecks** tab includes over 120 SpotCheck reports across multiple different userexperience categories. You can select to run only the reports in a particular category, or you can run the reports in all categories. Each report is evaluated against the level of thresholds selected. Stratusphere includes 3 thresholds to be set for each metric – a zero level threshold, a medium threshold, and a higher threshold.


liquidware Stratusphere					Strat	usphere UX V Print Help V Log Out
Diagnostics Inventory Advanced						
Search	SpotChecks	Dashboards	Inspectors	Trends & Top Consumers	My Tab	Preferences
Stratusphere UX SpotChe	SpotCheck	360 > Zero Threshold	ls ▼ 2 r	returned	Complete	ed: 2 @ 7 seconds
Refresh Stop Close A		esholds Details events apps consumpti		Date: Today	MOTE DISPLAY TRACE ROUTE '	VHOST VMACHINE
Click here to run the	SpotCheck 360 greater	than zero thresholds o	configuration or select	another SpotCheck config	guration above.	

Select your threshold level and then click on the **Set Thresholds** button to change the thresholds for the metrics in the UX category and threshold level you currently have selected.

Run	This 🖸	C Load/Save	Group Filter	View 🖸	Acti	on 🖸	Sea	arch: scores	Apply
<u>#1</u> ,	Machine/User		UX Score <= •	•	3	<u>#1</u>	Enabled	Lowest UX Scores b	y Machine & User Nam
<u>#2</u> ,	Machine/User	UX	Compute (y) <= 1		3	<u>#2</u>	Enabled	Lowest UX Scores (Compute) by Machine 8
<u>#3</u> ,	Machine/User		UX IO (x) <= 1	·	3	<u>#3</u>	Enabled	Lowest UX Scores (IO) by Machine & User
<u>#4</u> ,	Machine/User		FIT Score <=		3	<u>#4</u>	Enabled	Lowest FIT Scores	by Machine & User Nam
<u>#5</u> ,	Machine/User	FIT	Compute (y) <= •	•	3	<u>#5</u>	Enabled	Lowest FIT Scores	(Compute) by Machine
<u>#6</u> ,	Machine/User		FIT IO (x) <= •	·	3	<u>#6</u>	Enabled	Lowest FIT Scores	(IO) by Machine & User
<u>#7</u> ,	Machine/User		CPU Queue >	·	0	<u>#7</u>	Enabled	Top CPU Used Que	ue by Machine & User N
<u>#8</u> ,	Machine/User	C	PU Used MHz >	•	0 MHz	<u>#8</u>	Enabled	Top CPU Used MHz	by Machine & User Nar
<u>#9</u> ,	Machine/User		CPU Used % >	·	0 %	<u>#9</u>	Enabled	Top CPU Used % b	y Machine & User Name
<u>#10</u> ,	Machine/User	Men	nory Used MB >	·	0 MB	<u>#10</u>	Enabled	Top Memory Used I	MB by Machine & User I
<u>#11</u> ,	Machine/User	Me	mory Used % >	•	0 %	<u>#11</u>	Enabled	Top Memory Used	% by Machine & User N
<u>‡12</u> ,	Machine/User	P	age Used MB >	•	0 MB	<u>#12</u>	Enabled	Top Page Used MB	by Machine & User Nan
<u>‡13</u> ,	Machine/User	Pag	gefile Used % >	•	0 %	<u>#13</u>	Enabled	Top Page Used % b	oy Machine & User Nam
<u>#14</u> ,	Machine/User	Har	d Page Faults >		0	<u>#14</u>	Enabled	Top Hard Page Fau	lts by Machine & User N
#15	Machine/User	Sof	ft Page Faults > 🗖	,	0	#15	Enabled	Ton Soft Page Fault	ts hv Machine & User N

You can change the comparison operator or enter a new value for the comparison metric.

Click the **Refresh** button to execute all the SpotChecks in the active/blue category after making any setting changes including thresholds, dates, etc. Once the SpotChecks finish running, they will display basic data.



Click on the **Close All** button to see a full list of each report in the category you have selected while hiding the data.

agnostics Inventory	Advanced					
Search	SpotChecks	Dashboards	Inspectors	Trends & Top Consumers	My Tab	Preferences
Stratusphere (JX SpotChecks	- Click to run - SpotCh	eck 360 Medium Thre	sholds 🔻	5 returned Con	mpleted: 15 seconds
Refresh Stop	Close All Open All	Set Thresholds	Details:	Limit: 25 🔹 Date	: Today	•
Refresh Stop ALL SCORES CPU		Set Thresholds		Limit: 25 • Date	: Today LOGIN REMOTE DISPLA:	
ALL SCORES CPU	MEMORY DISK NETWORK G	PU ALERTS AND EVENTS APP	S CONSUMPTION DATA		,	AY TRACE ROUTE VHOST VM
ALL SCORES CPU #1. Lowest 3 of 25 UX	MEMORY DISK NETWORK G	T Name (following date)	S CONSUMPTION DATA	STORE EXPERIENCE IP	,	AY TRACE ROUTE VHOST VH UX Score < 2.75
ALL SCORES CPU #1. Lowest 3 of 25 UX #2. Lowest 9 of 25 UX	MEMORY + DISK + NETWORK + G Scores by Machine & Use Scores (Compute) by Ma	r Name (following date)	S CONSUMPTION DATA	STORE EXPERIENCE IP	LOGIN REMOTE DISPLAT	AY TRACE ROUTE VHOST VH UX Score < 2.75 UX Compute (y) < 2.75
ALL SCORES CPU #1. Lowest 3 of 25 UX #2. Lowest 9 of 25 UX #4. Lowest 3 of 25 FIT	MEMORY DISK NETWORK G	er Name (following date) chine & User Name (follow er Name (following date)	IS CONSUMPTION DATA CONSUMPTION DATA Wing date) CO CO CO CO CO CO CO CO CO CO	Shows thre settings for	shold	AY TRACE ROUTE VHOST VH UX Score < 2.75

Use the icons to the right of the report name for more data. This is an example of showing more data inside the SpotCheck tab. This shows more details than the original SpotCheck report view.

Search	Spot	Checks		Dashbo	ards		Ins	pectors		Trend	s & Top Co	onsumer	s	N	/ly Tab		Prefer	ences
Stratusphere U	X Spot(Cheo	ks	- Click to	run -	SpotCh	eck 360	Mediur	n Thre	sholds			5	returned	O	ompleted: 6	seconds	
Refresh Stop	Close All	0	pen All	Set Thresh	olds			Details:		Limit:	25 🔻	D	ate: 🗂	oday		7		
ALL SCORES CPU M	EMORY DISK		WORK G	PU ALERTS AN	ND EVEN			UMPTION					LOGII	N I REM				VHOST VMAG
																		_
. Lowest 3 of 25 UX S	cores by M	achin	e & Use	e r Name (folle	owing	date)		.* (📖)									UX Score	e < 2.75
. Lowest 5 of 25 UX 5								\sim										
Machine Name	User Name	UX Score	UX IO (x)	UX Compute (y)	Login Delay	App Load Time	App Not Resp (ANR)	CPU Used %	CPU Queue		Pagefile Used %	Hard Page Faults	Disk IOPS	Disk Queue	Network Latency	Failed Connects	CID Records Avg Minutes	CID Records Avg Hours
Machine Name						Load	Not Resp	Used				Page Faults					Records Avg	Records
Machine Name	User Name	Score	(x)	(y) [.]	Delay	Load Time	Not Resp (ANR)	Used %	Queue	Used %	Used %	Page Faults 4	IOPS	Queue	Latency	Connects	Records Avg Minutes	Records Avg Hours
Machine Name txwmad01.lwldemocenter.local	User Name jason	Score B+	(x) 2.99	(y) 1.95 2.22	Delay 0 sec	Load Time 0.0 sec	Not Resp (ANR)	Used % 3.1 %	Queue 6.5	Used % 34.3 %	Used %	Page Faults 4	IOPS 0.4 iops	Queue 0.0	Latency 0.00 ms	Connects 0	Records Avg Minutes 995 mins	Records Avg Hours 16.57 hrs
Machine Name txwmad01.lwidemocenter.local ad.se.lwi.corp	User Name jason administrator	B+ B+	(x) 2.99 3.00	(y) 1.95 2.22	Delay 0 sec 0 sec	Load Time 0.0 sec 0.0 sec	Not Resp (ANR) 0 0	Used % 3.1 % 2.3 %	Queue 6.5 2.1	Used % 34.3 % 24.0 %	Used % 7.8 % 0.0 %	Page Faults 4	IOPS 0.4 iops 0.2 iops	Queue 0.0 0.0	Latency 0.00 ms 0.00 ms	Connects 0 0	Records Avg Minutes 995 mins 995 mins	Records Avg Hours 16.57 hrs 16.57 hrs
Machine Name txwmad01.lwldemocenter.local ad.se.lwl.corp mcvf-pc	User Name jason administrator mcvf	Score B+ B+ B+	(x) 2.99 3.00 2.95	(y) 1.95 2.22 2.31	Delay 0 sec 0 sec 0 sec	Load Time 0.0 sec 0.0 sec 10.8 sec	Not Resp (ANR) 0 0	Used % 3.1 % 2.3 % 18.7 %	Queue 6.5 2.1 2.3	Used % 34.3 % 24.0 % 69.5 %	Used % 7.8 % 0.0 %	Page Faults 4	IOPS 0.4 iops 0.2 iops	Queue 0.0 0.0	Latency 0.00 ms 0.00 ms	Connects 0 0 0	Records Avg Minutes 995 mins 995 mins 995 mins	Records Avg Hours 16.57 hrs 16.57 hrs 16.51 hrs
Machine Name bxwmad01.lwldemocenter.local ad.se.lwl.corp	User Name jason administrator mcvf	Score B+ B+ B+ B+	(x) 2.99 3.00 2.95) by Ma	(y) 1.95 2.22 2.31 chine & Use	Delay 0 sec 0 sec 0 sec r Nam	Load Time 0.0 sec 0.0 sec 10.8 sec	Not Resp (ANR) 0 0 0	Used % 3.1 % 2.3 % 18.7 %	Queue 6.5 2.1 2.3	Used % 34.3 % 24.0 % 69.5 %	Used % 7.8 % 0.0 %	Page Faults 4	IOPS 0.4 iops 0.2 iops	Queue 0.0 0.0	Latency 0.00 ms 0.00 ms	Connects 0 0 0	Records Avg Minutes 995 mins 995 mins	Records Avg Hours 16.57 hrs 16.51 hrs

This is an example of a popout inspector.

Insp	ector View: * Custom (Dlick to select default	View)	*	? Go	Details O	n 🕄 🛛 ROLL	-UP Auto	•	Date	Range:	0::23 - Today			*	🔣 🕄	
I	Lookup By: Machines	• 🕄	Sub	Search:			×		Resolutio	on: Machir	ies 🔻 🕻	2 🍓	Basis	🔞 Filt	ers 🔙	Options	Exp
	Graph: UX Scatter P	ot Detail	Ŧ		Table: U	X Overview \	/DI UX Profile		Ŧ	COL SEAR	Col	or: Default	VDI UX/FI	T 🔻 Lin	nit: 100 🔻]	
Filter	Detail: (basis_counter <= 25 an																
Retur	m to Top 🛛 🔶 User Nam	ne != NO_LOGI	N_USER 🗹	Z00	M BY 🔻	🧞 🖉 F	ilters Enable	d									
	elect Graph Sort 🔻 诸			-													
3			U	ser⊨xp	eriend	e Indica	tors De		r Ioda	y - Ma	cnines	•					
0 0 0 1 2.75 2.75>Good														_			
	.4												-		• ~		
2.75																	
1	0												•				
	.0																
2																	
	.2																
, ъ																	
Poor	.6																
5																	
0.	.00.00.3	0.6		0.9		1.2	1.5		1.8		2.1		2.4	2	2.7	3.0	
2	(x) IO - IOPS / C	Nouse / Notw	ark Latono		Connor	ate	Poor ·	-1 75							2.75>.0	bood	
	(X) 10 - 10F37 G	ueues / Netwo	IK Latenc			CO/ B9/ A0			00/ 40						liquidv		
	IV Cooros CO/P2/AC			0 0 001	pute (y). (20/ 89/ AU	01 10	(x). C0/	DU/ AS						9 508	lusphere	
— ı	JX Score: C0/B3/A6									Pagefile	Hard Page	Disk	Disk	National	Failed	Users on	
l	JX Score: C0/B3/A6			Logia	App	App	CDU	CDU						Network Latency	Connects	Machine	Cou
	Machine Name	User Name	UX Score	Login Delay	App Load Time	App Not Resp (ANR)	CPU Used %	CPU Queue	Memory Used %	Used %	Faults	IOPS	Queue	Latency			000
	Machine Name ad01.lwldemocenter.local	jason	Score B+	Delay sec	Time sec	(ANR) —	Used %	Queue	Used % 34.3 %	Used % 7.8 %	4	0.4 iops	Queue	ms		1	1
	Machine Name		Score	Delay	Time	(ANR)	Used %	Queue 6.5 2.1	Used %	Used %		_	-		-	1 1 1	1
itxwma	Machine Name ad01.lwldemocenter.local ad se.lwl.corp mcvf-pc atl-11546.lwl.corp	jason administrator	Score B+ B+	Delay sec sec	Time sec sec	(ANR) 	Used % 3.1 % 2.3 % 18.7 % 27.2 %	Queue 6.5 2.1 2.3 1.6	Used % 34.3 % 24.0 % 69.5 % 72.0 %	Used % 7.8 % % 4.6 % 6.7 %	4	0.4 iops 0.2 iops 0.8 iops 2.2 iops		ms ms		1	1 1 1 1
txwma	Machine Name ad01.lwldemocenter.local ad.se.lwl.corp mcvf-pc atl-11546.lwl.corp are-lu14-1417.atl.lwl.corp	jason administrator mcvf mvanfrayen dkhare	Score B+ B+ A- A	Delay sec sec sec sec sec	Time sec sec 10.8 sec 22.1 sec sec	(ANR) 	Used % 3.1 % 2.3 % 18.7 % 27.2 % 1.6 %	Queue 6.5 2.1 2.3 1.6 1.1	Used % 34.3 % 24.0 % 69.5 % 72.0 % 39.1 %	Used % 7.8 % % 4.6 % 6.7 % %	4 48 79 	0.4 iops 0.2 iops 0.8 iops 2.2 iops 0.8 iops	 0.1 	ms ms ms ms		1 1 1 1	1 1 1 1
itxwma	Machine Name ad01.lwldemocenter.local ad se.lwl.corp mcvf-pc atl-11546.lwl.corp	jason administrator mcvf mvanfrayen	Score B+ B+ B+ A-	Delay sec sec sec sec sec	Time sec sec 10.8 sec 22.1 sec	(ANR) 	Used % 3.1 % 2.3 % 18.7 % 27.2 %	Queue 6.5 2.1 2.3 1.6	Used % 34.3 % 24.0 % 69.5 % 72.0 %	Used % 7.8 % % 4.6 % 6.7 %	4 48 79	0.4 iops 0.2 iops 0.8 iops 2.2 iops	- 0.1 	ms ms ms ms		1 1 1	1 1 1 1 1 1 1
ttxwma pdkha	Machine Name ad01.lwldemocenter.local ad.se.lwl.corp mcvf-pc atl-11546.lwl.corp are-lu14-1417.atl.bwl.corp vdkhare-win7.lwl.corp	jason administrator mcvf mvanfrayen dkhare dkhare	Score B+ B+ A- A A-	Delay sec sec sec sec sec 13 sec	Time sec 10.8 sec 22.1 sec sec 29.6 sec	(ANR) 	Used % 3.1 % 2.3 % 18.7 % 27.2 % 1.6 % 18.5 %	Queue 6.5 2.1 2.3 1.6 1.1 1.1	Used % 34.3 % 24.0 % 69.5 % 72.0 % 39.1 % 46.7 %	Used % 7.8 % % 4.6 % 6.7 % % 9.1 %	4 48 79 17	0.4 iops 0.2 iops 0.8 iops 2.2 iops 0.8 iops 0.6 iops		ms ms ms ms ms ms		1 1 1 1 1	1 1 1 1 1 1 1 1 1

In addition to the 3 thresholds that are included with the SpotChecks, administrators can create their own thresholds and add them to the drop-down list. To create your own SpotCheck threshold:

uidware _{Stratusphere}					<u>S</u>	tratusphere UX 🔻 Print Hel	<u>p 🔻 Log (</u>
Advanced Search SpotChecks Stratusphere UX SpotChecks SpotC	Dashboards	Inspectors	1 .	& Top Consumers	My Tab	Preferences	_
	Set Thresholds	Details: Limit:		te: Today	•		
Click here to run the SpotCheck 360 gr		OLoad/Save OGroup Filter	View G	Action 🖸	Search: gpu	× Apply	
1. Lowest UX Scores by Machine & User Name (fo Machine Name addc.liquidw	#18, Machine/User #19, Machine/User #20, Machine/User	GPU Core Used % > ▼ GPU Encoder % > ▼ GPU Decoder % > ▼	0 % 0 %	#18 € Enabled #11 € Enabled #20 € Enabled	GPU Model Encode % by M	lachine & User Name	

- 1. Click on the green **Set Thresholds** button.
- 2. Filter down to the key performance indicators (KPIs) that you want to check by searching for a metric name and clicking **Apply**.
- 3. Check **Enable** for each KPI that you want in the SpotCheck configuration.

4. After you have filtered and selected all your KPI's, click **View** and **Show Enabled**. Adjust any thresholds to meet your SpotCheck needs.

5.	Save the new threshold	category	using the	following steps:
----	------------------------	----------	-----------	------------------

Spo	otCheck Conf	iguration T	hresholds 🗈						×
Run ⁻	This O C	LOAD/SAVE	Group Filter	View 🖸	Action 오		Search: gpu	Z Apply	
	iload	Die Countra th	50%			T	New Save	Delete Save As	
		PIs Greater than ng GPU metrics	s greater than 50%	%			Menu Order:	25	
	nabled	-	V	Publish					
Last	Updated: Cro by:	eated on: by:							
<u>#18</u> ,	Machine/User	GPU Core U	Jsed % >▼	50 %	<u>#18</u>	Enabled	GPU Model Core Used	% by Machine & User Name	2
<u>#19</u> ,	Machine/User	GPU End	oder % > 🔻	50 %	<u>#19</u>	🕑 Enabled	GPU Model Encode % t	by Machine & User Name	
<u>#20</u> ,	Machine/User	GPU Dec	oder % > 🔻	50 %	<u>#20</u>	🕑 Enabled	GPU Model Decode %	by Machine & User Name	
<u>#68</u> ,	Applications	GPU Core U	Jsed % >▼	50 %	<u>#68</u>	Enabled	User Processes GPU %	Used for Owner & Machine	

a. Click Load/Save.

- b. Enter a **Menu Title**. For this example, we have "GPU KPIs Greater than 50%". Enter a **Description** for future reference on why you created this SpotCheck and any comments on interpreting the results.
- c. Check **Enabled** to access this SpotCheck Configuration in the top menu.
- d. Click **Publish** if this SpotCheck Configuration should be seen in the main area of the top menu.
- e. Click **Public Readable** if others should be able to see this SpotCheck in the lower portion of the top menu.
- f. To create this new SpotCheck Configuration click Save As.
- g. You will see the new threshold added to the existing list:

Stratusphere UX SpotChecks	SpotCheck 360 > Zero Thresholds
Refresh Stop Close All Open /	- My SpotCheck Configs: njeans GPU KPIs Greater than 50% [MG: Physical Desktops]
ALL SCORES CPU MEMORY DISK NETWORK G	- Published SpotCheck Configs
	GPU KPIs Greater than 50% (njeans)* [MG: Physical Desktops]
	- Default SpotCheck Configs
	SpotCheck 360 > Zero Thresholds
	SpotCheck 360 Medium Thresholds
	SpotCheck 360 Higher Thresholds
	+ Other Users SpotCheck Configs


Advanced Mode Dashboards

The **Advanced > Dashboards** tab contains Stratusphere's brand new customizable, interactive dashboards. There are 11 built-in dashboards with the ability to add and customize more dashboards based on your own criteria using customizable data sources and widgets. Users can also use the search functionality inside the dashboards to specifically look for something and constrain criteria on only what they are interested in. For more details and use cases on how to use the dashboards, please read our *Stratusphere UX: Advanced Mode Dashboards Guide* which can be found on the Stratusphere UX Documentation page on our Support Portal.

liquidware					Stratusphere UX V Print Help Log Out
Diagnostics Inventory Advanced					
Search SpotChecks	Dashboards	Inspectors	Trends & Top Consumers	My Tab	Preferences
III Dashboards 🌣 Preferences Q Search 🗹	Auto-Refresh Last Updated: 3:09:48	PM			Logged in as: njeans
Summary Overview Summary Trending Event	Trending User Experience User	Consumption & Experience	ser & Application Overview Applications	Disk & Datastore	vDirectory Remote Display
Citrix Overview	king on data points will oper	n more			
	charts you can use to drill		ad Select a prebu	ilt	
			dashboard or o		
			your own.		
FIT Score	Login Delay	CPU Used %	App CPU MHz	CPU Used %	
	1	41.8	1	mvanfrayen	41.8 % 2,005 MHz
<u>16 3 0</u>	•		•	User Name C	2
GOOD FAIR POOR	Application Load Time			CPU Queue C	PU Cores Allocated
FIT Score		Hovering over data feeds more details		0.0 % Peak 2 CPU % Us	0.0 % ed Peak 2 CPU ct %
		leeds more details	Into Into Widgets.	0 MHZ	0
UX Score	CPU Queue	Disk IO	App Disk IO KBs	Peak 2 CPU MHz	Peak 2 CPU Used ct
C	ch widget is	DISK TO	Info widget with	Machine Count	Isers on Machine
	zable.		more details.	38.83 hrs CID Records Total	2 Hours CID Record Count
GOOD FAIR POOR	Disk Queue	Network IO KBs	App Network IO KBs		
UX Score			1		

Using the Search Feature

The Advanced Dashboards allow you to zero in on more detail quickly by using the Search feature. Click on Search at the top of the interface. This drops down various criteria in a panel on the left for any dashboard that you select. For example, typing in a user name and hitting the Enter key refreshed all the dashboard widgets as related to that specific user.



The dashboard searches for the exact string that you enter. You may use an asterisk (*) before or after your search term to enable wildcard matching. Please be aware that the search is case-sensitive. Some search options can be configured by going to **Preferences > Search**.

You may use as many of the search criteria, such as User Name, Machine Name or Datastore, as you like to further constrain your search. Selections are also available to set Date or Time ranges, Resolution, and result Limits. To reset the dashboard to the default search, click on the **Clear All** button at the top or bottom of the search panel. To modify your search, use the search criteria and click on the **Go** button.

Setting Preferences & Creating Your Own Dashboards

Set your dashboard defaults per browser by using the Preferences option at the top. Any changes you make to your preferences are automatically saved. There are tabs for the following:

- General set general dashboard preferences
- Search set search specific preferences
- Utilities allows you to import a dashboard
- **Dashboards** choose which dashboards to load from the available dashboards.

On the General tab, check **Enable Edit Mode** to create your own dashboards.

General	Search Utilities Dashboards	
🗸 Use Local	Cache	
Refresh (min	utes)	
20		~
Number of mi	nutes before autorefresh dashboard data	
Dashboard T	heme	
Select an	option	~
Stratusphere	API FQDN/IP	
https://dei	no.liquidware.com	
Max Concurr	ent Connections	
8		٦
Maximum nur	nber of connections (between 1 - 6)	
Debug (ou	utput to console)	
Enable Ed	lit Mode (preview)	
Protect Sy	rstem Defaults	
Protect Syster versions)	m Default dashboards widgets datasources (This option may be removed in future	
🗌 Use Lega	cy bar/line Charts	
	eriencing issues check this box to use legacy bar/line charts.	

Check **Use Legacy bar/line Charts** if you experience any issues with these type of graphs in the dashboard widgets. Alternatively, check to make sure your browser version is up-to-date.

Creating a Dashboard

In order to create a new dashboard:

1. All loaded Dashboards will be listed at the top. Click on the right arrow as many times as need to horizontally scroll through your entire list of loaded dashboards. Then click on the plus sign at the end of the Dashboard tabs to create a new tab.

# Dashboard	III Dashboards	🗞 Widgets	Datasources	Preferences	Q Search	Auto-Refresh (20m)	Last Updated: 1:39:24 PM	Logged add/create dashboard
< verview W	/FH-Dashboard	WFH - Alternative	WFH Productivit	y (ja)ホット	スポットビュー	Inventory Hardware	Perparim Remote Users	Quick Assessment

2. Enter the new name for the dashboard, a description, who can access the dashboard for editing and the sort order. Then click on the **Save** button.

Canel	Save
ŭ Caldoart	
Osahoard Name	
New Dashboard	
exception	_
cens Groups Generation Selected	
Appen Longer a Sensenaria (Apps) Oxygen a Everyone	
(dash) Defaut Dashboards	
All Employees	
Atlanta	
dash_admin	
dash_user	
Domain Users	
Laado V	
roups in Selected will have access to this dashboard. You are only able to add groups which your currently logged in user is part of. If no groups are Selected, Everyone will have access to the dashboard.	
Display in Tabs	
topby this dashboard in a tab.	
on Order	
100	
sed for Ontering the lake of open dashboards (lowest first)	
Pi String	
	,
te mot common use for the Dashboard Level JPI Overlde is constraining the dashboard to a search tem. For Example, many Liquideure pre-built dashboards support the following ("node_group_name")"virtual Desklops" ("node_group_name")"virtual Desklops") node_name")"virtual Desklops", node_name")"virtual Desklops", node_name")"virtual Desklops", node_name")"virtual Desklops", node_name")"virtual Desklops", node_name")"virtual Desklops", node_name") ("node_group_name") (("}

3. Go back to the Dashboards tab and see your new tab added to the existing Dashboards. Now you are ready to add a widget.

agnostics Searc		Advanced SpotChecks	Dashboards	Inspectors	Trends & Top Consumers	My Tab	Preferences
# Dashboard	III Dashboard	s 🔏 Widgets	S Datasources & Preferenc	es Q Search 🛛	Auto-Refresh (20m) Las	t Updated: 1:44:42 PM	Logged in as: njea
shboard	WFH - Alternative	WFH Productivit	y (ja)ホットスポットビュー	Inventory Hardware	e Perparim Remote Users	Quick Assessment	New Dashboard 🗉 ,

Adding a Widget

The next step is to add widgets to your new dashboard. To add a widget:

1. Click on the **Add widget** button under your dashboard.

S	earch	SpotChecks	Dashboards	Inspectors	Trends & Top Consumers	My Tab	Preferences
🕷 Dashbo	ard 🎫 Dashbo	ards 🛛 🚓 Widgets	Datasources & Preferences	s Q Search	Auto-Refresh (20m) Last U	Jpdated: 1:44:42 PM	Logged in as: njea
shboard	WFH - Alterna	tive WFH Productivit	y (ja)ホットスポットビュー	Inventory Hardwar	e Perparim Remote Users	Quick Assessment	New Dashboard 🕀

2. This will create a widget container on your dashboard. Click on the gear inside this container to assign an existing widget to the dashboard or to create a new widget.

15899973714	470 🍵 🙃	0			
to assign a with		re			
dd widget	Edit Da	ashboard	Save Dashboard	Clear Dashboard	Delete Dashboa

3. Use the drop-down list to select an existing widget and then click on the **Assign widget** button. When back on the dashboard, click **Save Dashboard** to save your widget changes to the existing dashboard. We recommend saving often. If the screen is refreshed, all unsaved changes will be lost.

# Dasi	board	III Dashbo	oards 🛛 🚓 V	/idgets	E Datasources	Preferences	Q Search	Auto-Refresh (20m)	Last Updated: 1:44:42 Pl	M Logged in as: njeans
< shbo	All	Lul Bar Cl	hart 🔚 🕍 Lir	e Chart	Pie Chart	Lul Bar Chart				
Shou	& [Datablocks	HTML	Info	街 Multi-Table	Scorecard				
158	A 5	parkline	I Table							
† clic	Widget									
to as							~			
Add	[Ba	r Chart] App	lication Perfo	rmance by	/ Disk IOPs last	updated by: kcoo	ke on 12/3	31/2018		A
Add					updated by: dbier					
					updated by: dbien					
					st updated by: ssa		9			
					odated by: ssadmi					
					last updated by:		2019			
					updated by: ssadi					
					last updated by:		019			Assign widget
					updated by: ssad					
					last updated by: s					
					last updated by: s d by: dbieneman o		19			
					by: dbieneman or					
					ted by: ssadmin o					
					dated by: ssadmin					
					updated by: ssadi					
					KBs I last update		3/7/2010			
					ours last update					
					s last updated by					
					inutes last updat			9		•
	1.00							-		

4. Use the arrows in the lower right of the widget to resize the widget on your dashboard according to your preferences.

Creating or Editing Widgets

Use the Widget menu option at the top of Dashboards to browse through existing widgets or to create a new widget. When creating new widgets, you will need to provide the type, the title displayed at the top, a datasource, and the columns from the data source that you wish to display in the widget. Keep in mind that it may be easier to modify an existing widget than to create a new one from scratch. You can copy an existing widget from the Browse list by clicking on the **Duplicate** button to the right of the widget. A copy of the existing widget will be added to the list that you can then rename and customize.

iagnostics Inventory Ad	dvanced								
Search	SpotChecks	Dashboards	In	spectors	Trends & Top Co	nsumers	My Tab		Preferences
# Dashboard III Dashboards	🗞 Widgets 🗧 Datasou	irces 🌣 Preferences 🕑 /	Auto-Refresh (20m)	Last Updated: 43	5:15 PM				Logged in as: njean
& Widgets									Create Ne
pw 10 v entries								Search:	
Title	1F	Description	.↓† Typ	e ↓↑	Group ↓↑	Updated By	11 Last Updated	ţţ	Options
	Shows the concurrent Sess	ion count.	⊞ table	Defau	It Remote Display Citrix	Liquidware	4/20/2019 8:18:35 PM		Edit Duplicate Delete
200 Citrix Session Count	onons the concurrent ocs.								
	Shows the Hourly concurre	nt Machine count.	⊞ table	Defau	It Remote Display Citrix	Liquidware	3/7/2019 11:53:34 AM		Edit Duplicate Delete
200 Citrix Session Count 201 Citrix Machine Count 210 Citrix Published Applications			⊞ table		It Remote Display Citrix It Remote Display Citrix	Liquidware Liquidware	3/7/2019 11:53:34 AM 3/7/2019 11:53:33 AM		Edit Duplicate Delete

Creating or Editing Datasources

Use the Datasources menu option at the top of Dashboards to browse through existing datasources or to create a new datasource. When creating new datasources, you will need to provide among other items an API String that contains output from the Stratusphere API Builder (see API documentation or use API Builder). sort_col is REQUIRED. We recommend that you always use the following option of "rating": "2" in order to display color and formatting correctly. This string is used to get the data that will be used for creating the widget.

agnostics Inventory Advanced							
Search Spot	hecks	Dashboards	Inspectors	Trends & Top Consumers	My Ta	ab	Preferences
# Dashboard 🗰 Dashboards 🚓 Widgets	Datasources	Preferences 🖉 Auto-Refresh (20	0m) Last Updated: 4:35:15 F	PM			Logged in as: njean
Datasources							Create New
w 10 v entries						Search:	
Title ↓h	Inspector 1	Basis	11	Group	Updated I↑ By I↑	Last Updated 🛛 🕸	Options
plication Name	1	users,owner_name,machines,machine_group	ps,user_groups,application	Default Application Name	Liquidware	5/17/2019 6:26:36 PM	Edit Duplicate Del
trix Counts with IO Metrics	2	users,machines,machine_groups,user_group	s,session_id,published_app	Default Remote Display Citrix	Liquidware	5/13/2019 3:49:56 PM	Edit Duplicate Del
trix HDX Details CID	2	users,machines,machine_groups,user_group	s,session_id,session_start,	Default Citrix HDX	Liquidware	5/13/2019 3:50:24 PM	Edit Duplicate Del
itrix HDX FPS, Flash, Legacy, Compression, Other	2	users,machines,machine_groups,user_group		Default Citrix HDX	Liquidware	5/13/2019 3:50:38 PM	Edit Duplicate Del

Editing Dashboards

Use the Dashboard menu option at the top of Dashboards to browse through existing dashboards to edit, duplicate, delete, or export them. To import new dashboards, click on the **Import Dashboard** button in the top right of the interface.

gnostics Inventory Advanced	SpotChecks	Dashboards	Inspectors	Trends & Top Consumer	3 My Tab		Preferences
		Preferences Auto-Refresh (20m)	Last Updated: 2:04:42 PM	Trends & Top Consumer	s Niy lab		Logged in as: njea
Dashboards							Import Dashbo
w 10 v entries							Search:
Dashboard Name	12	Description		Updated By	Last Updated	11 Sort 1	† Options
ummary Overview	This dashboar	d generally shows the average or sum averag	e of all records for CP Liquidwa	re 4/17/2	20 10:09:15 PM	-0.500	Edit Duplicate Delete
ummary Trending	By default this	dashboard shows 24 hour trending widgets.	Liquidwa	re 6/26/2	19 11:10:04 PM	-0.4900	Edit Duplicate Delete
ser & Application Overview	Shows User N	ame and Application Name based information	. Liquidwa	re 6/26/2	019 11:12:40 PM	-0.4500	Edit Duplicate Delete
ser Consumption & Experience	Provides an ov	verview of User Name based consumption and	d user experience. Liquidwa	re 6/26/2	19 11:12:08 PM	-0.4600	Edit Duplicate Delete
ser Experience	Provides a sim	ple way to view key users experience and con	nsumption indicators. Liquidwa	re 4/17/2	20 12:34:13 PM	-0.4700	Edit Duplicate Delete
Directory	Shows vHost a	and vMachine information. You must have a va	alid vDirectory import c Liquidwa	re 6/26/2	19 11:14:53 PM	-0.1600	Edit Duplicate Delete
FH - Alternative			Liquidwa	re 3/24/2	20 7:43:19 PM	100	Edit Duplicate Delete
FH Productivity	This dashboar	d is focused on key application consumption a	and typical remote co Liquidwa	re 4/30/2	20 5:52:28 PM	100	Edit Duplicate Delete
FH-Dashboard	Work From Ho	me Dashboard	cwalker	3/24/2	20 7:56:34 PM	100	Edit Duplicate Delete

Please note that if the **Protect System Defaults** option is checked in **Preferences > General**, then you will not be able to edit or delete the default dashboards that come with Stratusphere.

Advanced Inspectors

Understanding the Basics

The Advanced Inspector has several different options and tabs to provide the most flexibility possible in working with the Stratusphere Connector ID Key metric data collected. Within the tabs, you can select a date range, add filters, and sort data columns, among other things, in order to narrow your focus. Drilling into a specific metric will show application-specific data for that metric.

Statusphere Diagnostics Inventory Advanced Search Users (ID) Machines Login	Select a View from the menu options or list.		Trends a	Select a Date Range.	My Tab vHosts vMachines		Preferences Alerts	t Help Log Out
Vinspector View: Summary Machine (Machine)	Coserch Resolution: Machine Inspector Table: Overview Machine Inspector	Date Range: 00:23 - Today	• Limit: 100	v 			34 / 34 rov	is @ 1 secs 👔 Export
toggle Graph on or off. wintowndred-1 spt.twt.corp B+ mov/sec B+ addse wt.corp B+	Select a Graph from the menu options or list.	Memory Pageffie Page Page Page CU 23 11 3.0 % 2.40 5 25 15 4.5 % 2.03 5 5 747.8 2.2% 3.88 1.50 1.60 747.9 2.2% 5.25 1 0 747.1% 2.2% 5.25 1 0 702.2% 4.9 % 7.07 61 140 18.1% F00253 3.54 2 5	Used % IO	bisk Disk Disk Disk Disk Based Active & Response Click individual in pop out more de	metrics to	Connects Latence 3a 3b 3b 3b 3b 3b 3b 3b 3b	y Latency ms ms ms ms	Users on Mac Machine Cc A 1 1

There are a few main components and concepts of the Advanced Inspectors that are important to understand when you are getting started.

1. **Inspector Views** – An Inspector View will take all the flexibility the Advanced Inspectors provide and package them together in specific Use Case views of the most popular ways you would want to look at your data. They also can apply set rules, like a specific date range on to your working Inspector.

Inspector View: * Custom (Cli	ck to select default View) 🚽 🔞 🕻	Details On 🕄 ROLL-UP Auto 🔻 Date Range: 00:::23 - Today 💌 🌉 😰
	Custom (Click to select	default View)	Resolution: Machines T 3 😪 Basis 🧏 Filters 📕 Options
Lookup By: Machines	Summary		
Graph: *UX UX Score	Counts		Overview Machine Inspector VI CoL SEARCH Color: Default VDI UX/FIT V Limit: 100 V
Select Graph Sort 🔻 🕄	FIT Consumption		Today - Machines
3.00	UX Experience	Scatter Plot	3.00
😠 2.40 —	Date	UX Score	All2.40
e 2.40 - 1.80 - 1.80 -	Add Basis	Login Delay Seconds	
	Change Basis	Login Events	в
9 1.20 —	Pesolution	Application Load Secon	

- Lookup By This is the primary method used to view and group data within the Inspectors. This setting
 provides complete flexibility in how the metric data should be presented and is shown as the first column
 in the results table. Many options are available (User Name, Machine, OS Name, Login ID and User Groups,
 etc.).
- 3. Search This feature provides a way to zero in on data faster by providing basis-specific searching which is dependent on what is selected in the Lookup By field. Wildcards can be used in this search. Use a* to find all items starting with "A". Use quotes to find an exact match. Use "abc" (with quotes) to find only items that equal "abc".
- 4. **Resolution** This option provides the ability to group the Inspector data by date and time concepts. Most of the time you will group your data using the **Lookup By** setting. But if you want to see the metrics by day or by hour within a day, the **Resolution** will summarize the data in this way.
- 5. **Basis** A basis is the method the Advanced Inspectors use for grouping data. For example, if you are looking at data by Machine Name, its primary basis as set in **Lookup By** would be Machines. This would be the first

column shown in the results table. You can then add additional basis data to your results by clicking on **Basis**. This will add additional groupings and columns. Following the machine example, you may then want to further group by User Name. You would do this by adding an additional **Basis** for User Name.

Select Additional Basis C	columns 😰	Gol X
Manual Basis/Resolutio	on Clear	
Manual Basis/Resolution	Other O/S Name O/S Version CID Version GPU Model Name Storage Datastore Name (ID) Datastore Name Datastore Type Disk Name Disk Label	Network NIC Adapter NIC Addresses IP Address Latency Test IP Latency Test Name External IP FW Provider WiFi WiFi SSID Name WiFi BSSID MAC WiFi NIC MAC WiFi Protocol
Cugin User @ Domain Login ID Login Name Login Domain	Hosts Current Host Historic Host vDirectory Name VHosts (Metrics) vMachines (Metrics)	 WiFi Band WiFi AuthType WiFi Cipher

Inspector Tabs

The first two Inspector tabs consist of Connector ID (CID) Key summary data. This is the user and machine specific data summarized based on the CID Key Callback Frequency interval during which it was collected and sent to the Stratusphere Hub. What is interesting about these tabs is that they are dynamic, and the headings will change to match the selection in **Lookup By** as shown below.

Diagnostics Ir	wento ry	Advanced
Se	earch	(
Users (ID)	Machines	Login
💡 Inspector View	* Custom (Click to select default View
년 Lookup By:	Users (ID)	• 2

The remaining tabs are focused on additional specific types of data that the Stratusphere Connector ID Key collects:

- 1. **Login** Turn on the collection of detailed Login stats while configuring Connector ID Key Properties in the Hub Administration module to get the full login process breakdown.
- Event Log Displays all Microsoft Windows Event Logs collected from CID Keys as configured under the HUB ADMINISTRATION > CONNECTOR ID KEYS > CONNECTOR ID KEY PROPERTIES tab. Users can specify collecting logs from Application, System, Security Logs, the Log or Severity Level (Critical, Error, Warning, Information) and/or specifying specific Event IDs to include or exclude.
- 3. Applications Application and process data is one of the key pieces of information that Stratusphere Connector ID Keys collect and report on. Using the Applications tab, you can view and analyze the metrics specific to the applications running in your organization. In this example, the inspector looking at Adobe applications installed with the associated key application metrics shown like Application Load Time and how many machines and users are running that application.

iagnostics Inventory Adva	cod																
agnosocs inventory advan	ceu																
Search	(Spot	Checks	(Dashboards		Inspe	ectors	Trer	ds & Top Consume	rs		My Tab		Pr	eferences	
Users (ID) Machines	Login	Ever	t Log Appl	ications Pro	ocess Name B	rowser	Network Re	mote Display	Trace Route	Folders	Extensions	vHosts) vMac	chines) I	wentory	Alerts	
				_								_	_				
Inspector View: Custom (Click to s	elect default Vir	u)	v 🕄	🖸 🕨 🗆 Deta	ils Roll-Up Auto	¥ 🔡	Date Range: 00:2	3 - 04 Hours		💌 🎫 😰						4 / 4 rows (c	cached)
Graph: Application Workloa		Q _{vSe}			Application Name 🔻 🖡	2 🇞 B 👻 🛙	~	rs 🛃 Optio	v Limit: 1	0 v Proces	ies: Both	v 🖬					E
Lookup By: Application Name		T	Table	: Overview De	tails (Avg vs. Total)	- · · ·	COL SEARCH Color:	Default	▼ Limit: 1				Disk	Disk IOPS	Disk	Network IO	E
Graph: Application Workloa		Proce own	Table	Core	tails (Avg vs. Total) CPU Used MHz		~	Default		GDI Objects	GDI	Tisk IO Per App Avg	Disk IO KBs	Disk IOPS Per App Avg	Disk IOP S	Network IO Per App Avg	Network
Graph: Application Workloa	Machine Us	Proce Own	Table	Core	tails (Avg vs. Total) CPU Used MHz	T E	COL SEARCH Color:	Default	Limit: 1 Page Faults Page	GDI Objects Per App Avg	GDI	Disk IO	Disk IO KBs 13.9 KBs	Disk IOPS Per App Avg 17.00 icps		Network IO Per App Avg KBs	Network IO KBs
Graph: *Application Workloa ratusphere App Name = *adobe* * Stratusphere App Name	Machine Us	Proce Own	Table	Core Used %	CPU Used MHz Per App Avg 35.2 MHz	CPU Used MHz	COL SEARCH Color: Memory Used MB Per App Avg	Memory Used MB	Limit: 1 Page Faults Page Fault Pag	GDI Objects Per App Avg	GDI Objects	Disk IO Per App Avg	IO KBs	Per App Avg	IOPS	Per App Avg	Network IO KBs KBs
Graph: *Application Worklow ratusphere App Name = *adobe* Stratusphere App Name Adobe Acrobat DC	Machine Us	Proce Own	Table	GPU GPU Core Used %	CPU Used MHz Per App Avg 35.2 MHz	CPU Used MHz 35.2 MHz	COL SEARCH Color: Memory Used MB Per App Avg 159.2 MB	Memory Used MB 159.2 MB	Limit: 1 Page Faults Page Fault Pag	GDI Objects Per App Avg 292	GDI Objecta 292	Disk IO Per App Avg 13.9 KBs	IO KBs 13.9 KBs	Per App Avg 17.00 icps	IOPS 17.00 iops	Per App Avg	Network IO KBs KBs KBs

- 4. **Process Name** This tab expands per process level metrics by providing greater visibility on network connectivity, data usage, and latencies associated with each process that communicates over the network.
- 5. Browser This tab shows browser specific metrics (domains visited, URLs, etc.) for the browser(s) selected when configuring the Connector ID Key Properties in the Hub Administration module. Microsoft Internet Explorer and Google Chrome are currently supported. Google Chrome requires the Chrome Browser Stats Extension which needs to be setup separately on the desktops for Stratusphere to gather metrics. Please see the Stratusphere Installation & Configuration Guide for more information.
- 6. **Network** Within the Stratusphere UX system you can install separate Collectors which can monitor and capture vSphere host network traffic through a promiscuous port you define. This tab provides the ability to work with network metrics captured by each of the Collectors deployed.

- 7. Remote Display Remote display protocols deliver remote desktops and applications to endpoints. The Stratusphere Connector ID Key can capture this information, and it is viewable in the Remote Display tab. Stratusphere works with VMware's PCoIP, Citrix's ICA, and Microsoft's RDP and RemoteFX (RFX). Detailed ICA HDX metrics are also included in this tab. There are many new Views available that break connections down by protocol and provide session level settings for ICA connections. This view also provides trace route, ping and jitter metrics for remote display connections provided there is a CID Key installed on the remote client machine. Note: The Remote Display tab will only be available if the Connector ID Key is capturing remote display data for your environment.
- 8. Trace Route The CID Keys can be configured to detect remote display sessions such as RDP/RFX, ICA/HDX, and PCoIP and perform trace routes from the local machine to the remote machine. If there is a CID Key installed on the source and/or destination of the actual remote display session, it will perform trace routes in both directions i.e. from thin/fat client source to the remote desktop destination, and from the remote desktop to the source thin/fat client. Ability to collect data is dependent on whether the network allows trace routes and pings to be propagated and replies being received. The trace routes are performed once per callback interval and can collect number of visible and undetermined (*) hop latencies along with the IP Address and DNS name of each hop. The CID Key also performs pings to each remote display session IP Address every sampling period and helps calculate the latency of the connection, and the jitter between each subsequent ping to determine reliability and consistency of the latency. In case of the pings, the larger the number the slower the latency and thus worse the user experience. Similarly, the larger the jitter, the worse the reliability and consistency of the connection and thus worse the user experience. This tab displays this information if it is enabled within the CID Key Properties. The information can be looked up by Destination Name, IP Address, Port, Machines, Users, and some additional basis items. Note: The Trace Route tab will only be available if the Connector ID Key is capturing trace route data for your environment.
- 9. **Folders** Within Stratusphere you can configure the Connector ID Key to capture folder specific information for the workstation to which the CID Key is deployed. This Inspector tab provides the ability to work with that data with information on folder sizes and file counts within those folders.
- 10. Extensions One feature of the Stratusphere CID Key is its ability to capture data about the files located on your desktop. Within the Connector ID Key Properties, you can indicate which folders and which types of files (extensions) you want to report on. The Extensions tab provides an easy way to review this data. This tab along with the Extension Basis will show file information group by file extensions (docx, exe, pdf, ppt and others).
- 11. **vHosts** This tab is also associated with the Stratusphere vCenter Import function (see VM Directories in the Hub Administration). It will display specific metrics captured for the imported vSphere Hosts.
- 12. **vMachines** This tab is also associated with the Stratusphere vCenter Import function (see VM Directories in the Hub Administration). It will display specific metrics captured for the imported vSphere machines.
- 13. **Inventory** The Inventory tab provides information regarding installed versus running applications and processes on the desktops. The data can be viewed by either Machines or Applications.
- 14. Alerts Displays alerts generated by Stratusphere.

Inspector Graphs

For most of the Advanced Inspector tabs and views there are several graphs available. They provide you with the ability to quickly understand your data in a graphical format and to drill down for more detailed information. Graphs can be toggled on or off when viewing Inspector data.



One graph feature that is important is the use of graph tip windows. In this example, Workload Ranking is plotted on the graph as a line behind the bars. The Workload Ranking is a composite metric looking at various CPU, Memory, Disk I/O and Network I/O metrics that the Stratusphere Connector ID Key collects.

When you mouse over the individual bars on the graph, the graph tip window pops up to show the detailed metrics like Login Delay and Network Latency that make up a Workload Ranking as well as the overall UX score. Hovering the mouse over the actual Workload Ranking line in the graph highlights the Workload Ranking metric in the graph tip window.



Other Key Functionality

The Advanced Inspectors user interface provides a significant amount of flexibility in how you want to view and work with your data. Several additional key options that help provide this flexibility include:

✓ Filters - The Custom Filters option gives you more granular control over exactly what information is critical to your analysis. You can filter by specific metrics as well as values for those metrics.

Custom Filte	er Selection 😮	Output	CID	Clear Gob	×
Name User FIT - Score A B C UX - Score A B C C C C	FIT CPU Used % CPU Used MHz Memory Used MB Pagefile Used % Disk IOPS Disk IOPS Peak 1 Disk IOPS Peak 2 Network KBs Network KBs Peak 1 Network KBs Peak 2 Disk USed % Disk Used % GPU %	App N Login CPU Q Disk C Hard F Soft P Netwo Sessic Failed	ueue	Events Login Logout Login or Logout Exclude No Login User Other CPU 1G, MEM 2G, IOPS 40 CPU 33%, MEM 66%, IOPS 40	

✓ Date Range Lookups – The Date Range options provide two types of functionality when determining what range of data, you want to analyze. You can select from the many pre-defined range options like Today, Yesterday, Last 7 Days, Last 30 days and more, or you can set a Custom Date range by clicking on the calendar icon or selecting the Custom Date option.

Date Range:	00::23 - Yesterday				2	
-------------	--------------------	--	--	--	---	--

Note: The **Custom Time** *option defines the time range within the dates selected. For example, show me metric data during working hours (8 to 5) over the last week.*

- Application Drill Down Popups Within the results table, you can click on many of the metrics to drill down to application specific data related to the metric you selected. For example, if you saw a high Disk IOPS value for a user, you could click on that value to see the applications and processes running for that user that are driving the IOPS value.
- Table Specific Drill Down Ability Within any Inspector result table, you can click on the primary basis (first) column and drill down into a more detailed view of that data. For example, if you are looking at Users for yesterday and you click on a specific user, you will then see metrics for that user broken down by hour. If you click on one of the hours given as the new primary basis, you will see the specific CID Key callback reports for that hour. This drill down ability is changing the Resolution of the Inspector.
- Search Functionality The Advanced Inspectors provide search capabilities that enable you to search for specific data or information within your results such as a specific user or a machine. The search focuses on the basis for the displayed table making searches faster and more flexible. To search in additional columns, add them as a basis to the table.
- Col Search The Advanced Inspectors provide an ability to the user to search for all columns with a particular search string. So, if a user wanted to see all columns (actual column names and display column name) that were related to CPU and Memory, they can enter 'cpu mem' as First Match search criteria. The column search will return all columns that contain the search fields with cpu and mem in them. This

overrides the columns in the table within the view. If you do NOT want any gpu related columns the search term can be 'cpu mem -gpu'. If you then want only fields that have avg or peak or peak1 etc. in them, then you can use the Second Match field to add additional criteria to filter additional columns.

- ✓ Color When analyzing metric data, you want to be able to quickly identify problem areas as well as areas that are functioning well. Advanced Inspectors have Color Profiles to help highlight data metrics by coloring cells using green for good, red for poor, etc. Choose from None, Default VDI UX/FIT, FIT or UX.
- ✓ Pop out Inspector This takes the current Inspector and result data being viewed and opens it in a new browser window.



✓ Data Export – You can export your Inspector results table data to Excel using a unique Cut & Paste Export option or the Spreadsheet option.

Advanced Mode Trends & Top Consumers

The **Advanced** > **Trends & Top Consumers** tab is another great place for monitoring your environment. It provides a sweeping view of your data, gathering many different types of metric graphs that are available within the Advanced Inspectors in one place. For more details and use cases on how to use the trend dashboards, please read our *Stratusphere UX: Advanced Mode Dashboards Guide* which can be found on the Stratusphere UX Documentation page on our Support Portal.


These key metric graphs are grouped together to form dashboards. The Trend & Top Consumers tab offers three major types of dashboards: **Overview Trend, Compare Trend, and Top Consumers**. **Overview Trend** dashboards display metrics primarily for the current day. These dashboards use a single resolution for all the graphs and are good graphs to choose when you want to look at what is occurring now. **Compare Trend** dashboards display a fewer number of different key metrics but show how they change over time. Compare Trend dashboards use three different resolutions to display historical data. For example, you can see a metric shown for today in the first graph, over the last day in the second graph, and with that same metric shown over the last 7 days in a third graph. **Top Consumer** dashboards display metrics over time using simple but data-intense sparklines along with matching charts of data. Hovering your mouse over the sparklines reveals a pop-up window with more detailed information about each specific data point.



To change between the various dashboards, click on the gear icor 🗞 at the top, left of the tab. This opens the Dashboard Control Widget which allows you to choose which dashboard to display. In addition to being able to select a different dashboard, there are other options available to customize how you work with and view the available graphs on the tab. The search function allows you to quickly zero in on needed information by entering a specific user, machine, or application. Other options for customizing your dashboard graphs will depend on the type of dashboard chosen for display.

Diagnostics Inver	ntory A	lvanced				
Search	S	potChecks	Dashboards	Insp	ectors Trends & Top	Consumer
	Overview Tr	end		Com	pare Trend	
§ 🐁	Desktop U. Overviews the		UX	Tiers	speci	fic group, us
Last Refresh: Thu			FIT	Details		
arch: Type here and p	s: UX TIEF	Network Apps	CPU	_	DISK IO NET IO DESK	IOP APPS
)	ce Score for Toda	Remote Display	Memory			
40		vHosts	Disk IO			L40 (110 (110 (110 (110 (110 (110 (110 (1
three control of the	57 CF	vMachines	Network IO			A 60 8 8 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6
UX Score +- UX Good Threshold A	을 토 및 (2.75) UK Poor T	Datastore	Login		Script-de Statistics S	ux s
UK Score Courts (2.5) • OIL UK Score Courts (2.6) • OIL UK Score Courts (2.6) • OIL		Counts	Compare Trend		or Today - Date	
		Alert Violations	_			L40 2 2 2

The top, left corner on each of the graphs in the dashboard is important. On Top Consumer sparkline dashboards, you can click on the icon to pop out the associated Advanced Inspector for more details, or you can click on the link to refresh an individual graph widget. In the top, left corner of each graph on the Overview Trend and Consumer Trend dashboards you will notice a plus sign icon. Clicking on this icon opens the Graph Controls. Here you have complete flexibility to alter how the graph is displayed, so can view your data exactly how you want to for the chosen graph. A lot of the graph functionality is at your fingertips including the ability to change your resolution, data range, scale for both the X and Y axis and more. To view a full-size version of a graph, just click on it.



My Tab

This tab holds a copy of all the spreadsheets you have exported from Stratusphere. Stratusphere will store up to 512 MB of exported data. Stratusphere checks the data storage usage each hour. If the storage space threshold has been exceeded, Stratusphere will automatically delete exported spreadsheets in order from oldest to newest until the data storage is under the 512 MB threshold.

Preferences

Through the Preferences tab you can customize some aspects of the Advanced Inspector User Interface. For example, if you don't want to use colors, you can turn them off. Or if you prefer a different font size for the Inspector table, you can change to your favorite size.

Preferences Save	Load 📾 Cancel 🥺 Apply to Session 💟		Osmand Ostissa
Cell Options Use European Numbers Show Zeros instead of Blanks No Commas in metrics No Words in metrics (Fit/Good) Words with Metric (UX and Fit Score)	Default Dates Search/SpotCheck Date: Today Summary Inspector Date: Today Application Inspector Date: Today Network Inspector Date: Today Default Inspector Date: Today Trend & Too Consumers Date: Today	Table Options NO popup menu when clicking cells Do NOT Color the Spacer Columns No Spacer Columns Simple Scroll Box Do Not Highlight Links	General Options Activate SpotChecks on load Activate Dashboards on load Activate All Inspectors on load Activate Trends & Top Consumers Simple Menus (No CSS Menu)
No Units in metrics (MB/sec/iops)	Custom Dates: YYYY-MM-DD YYYY-MM-DD Custom Dates:	No Colors No User @ Domain Color Left-Justify Basis	Turn Off Help Turn Off Column Description in Tool Tip Turn Off Cell Tool Tips (click instead/no hover)
Graph Options Keep Graphs closed by default Show Graph under the Table by default Main Graph and Table Color:	Custom Date 2: Custom Date 3: Custom Date 4:	 ○ No Domain on User Name ○ No Domain on Machine Name ○ Right-Justify All Numbers 	Pop-Out Options Open Popouts in Window Open 360s in Window
Dashboard Graph Color: 🔽 🗸	Custom Date 5:	Row Limit: Line Spacing: 2 V Cell Spacing: 2 V Table Font Size: 12 V	Open in Separate Windows Where to Open: Turn off Metric links
User ID: njeans	Role: 600	Version: 6.1-5	Language: english

Advanced Inspectors Help

There is a vast amount of help information built directly into the Advanced Inspectors. For options and various functions of the Inspectors help, click the **question mark** next to the option for specific help.



In addition, moving your mouse over any of the metric column headings in the Inspector result tables pops up help information specific to that column. The figure below shows a help description for Disk IOPS.

Context Switching	Memory Used %	Pagefile Used %	Soft Page Faults	Hard Page Faults	GDI Objects		GPU Core Used %		Disk IO KBs	
721	3 Order	r by: Memo	ny Used %		17		%		69.5 KBs	
406	2	by: wienie	ny oseu /e				%		14.0 KBs	
4,802	6 The is	s the perce	nt of alloca	ated per	machine		%		263.0 KBs	
18,606	7: Mem	7: Memory MB used over the time frame%								
2,043	18.3 %	%	362	468	43		%		4,004.5 KBs	

There is also built in information and an FAQ page. To access this information, click the question mark link at the top right of the Advanced Inspector web page which provides an overview of Advanced Inspector concepts as well as Frequently Asked Questions.

guidware Stratusphere							Stratusphere UX V Print Help Log
Diagnostics Ir	nventory Advanced	d					
Searc	:h	SpotChecks	Dashboards	Inspectors	Trends & Top Consumers	My Tab	Preferences
Users (ID) Ma	achines Login	Event Log Applications	rocess Name Browser	Network emote Display Trace	Route Folders Extensions	vHosts vMachines	Inventory Alerts
Inspector View	Summary User Users	₹ ?	Gol Details On 🕄 ROLL	-UP Auto Date Range	: 00::23 - Today	▼ 🔣 👔	21 / 21 rows (cached)
Lookup By:	Users (ID)	2 O _{Search}	Resolution: Users	(ID) 🔻 诸 👸 Basis 🤇	🟅 Filters 🛛 🔔 Options		Exp
🛟 👍 Graph: [* UX UX Score	v	Table: * Overview User Insp	col 🐨 🐨	CH Color: Default VDI UX/FIT V	Limit: 100 💌	

Want to see more? We have several good blogs discussing various topics about the Stratusphere Advanced Inspectors (formerly known as the Preview Inspectors) on the Liquidware blog site.

Breaking Down the User Login Process

Being able to understand and identify issues around the complex process of the user login is an important task for IT administrators. As the desktop is being setup for the user, there are a lot of individual operations transpiring at login. If any operation fails or if there is a bottleneck, a user can experience significant delays. When users report slow logins, it's important to find the source of the problem. In addition, being able to proactively identify these is growing more important.

Now Stratusphere provides detailed event tracing of the Windows login process by measuring and reporting on items like:

- Boot Delay
- Login Delay
- Domain Controller Access
- Computer and User GPOs
- GPO client extension names and load times
- Roaming Profile load times
- Time to Restore Network Connections and processes that start and end between each step of the login process


You can trend this information for the user, machine, or a pool level by using machine groups.

Capturing the all the login details is an optional setting you can turn on when you configure your Connector ID Keys. Please see the *Stratusphere Installation and Configuration Guide* for more details.


Once the CID Keys in your environment are returning login data, you can use the Advanced Inspectors to provide more data on the login process breakdown. A great place to start is with an overview of logins in your environment. From the **Advanced** > **Trends & Top Consumers > Top Consumers** tab, click on the gear icon to select the **Desktop > Login** dashboard.

										<u>St</u>	ratusphere UX 🔻 Print Help Log Ou	<u>I</u> L					
Diagnostics	Inventor	y Adv	vanced														
Se	arch	(SpotChe	cks	Dashboards	s Ins	pectors	Trends & Top Consu	ners	My Tab	Preferences						
		Overvi	ew Trend		(Cor	npare Trend			Тор Со	onsumers	١					
2 6		ktop UX [Details	FIT Consum	tion												
	Oven	views the (Desktop	FIT Consum	1001	r a specific group	r a specific group, user, machine or view all records averaged by date/hour.										
Last Refres	sh: Thursda	ay, Octob	Desktop Apps	UX Details		ALS FIT DETA	ILS WORKLOAD	USER APPS SYSTEM	I APPS E	ROWSER REMOTE DI	SPLAY LOGIN						
21	e and press	s Enter	Network Apps	Workload Tot	als (w/ iops and io	kbs)											
🖓 User			Remote Displa	Workload Tol	als (w/ app proces	s)	🗗 User		🗗 User		년 ³ User	ĺ					
·	Desktop U	X Score	vHost	Login		pp Load Time 12 sec	Desktop A	pps Not Responding	Desk	top Network Latency 33.00 ms	/ Desktop Failed Conne						
		2.03)	vMachines	_		12 300		1			Ū	1					
Today			Browser		day		Today All		Today All		Today	1					
Colored because UX	(Casas 2 82	a 14				e Load Time >= 5	Colored because AN	0 x = 1			No records returned.	1					
2.92' of a possible 3					Colored because		Colored because An				This might be the filter applied.	Ĺ					
🗗 User	Desktop	UX Score	🗗 User	Desktop Login Dela	y 🗗 User	Desktop Apps Load Time	년 User	Desktop Apps Not Resp	🗗 User	Desktop Network Latency	User Desktop Failed Connects	Ĺ					
					(Load Secs UX Score						1					
Users (ID) mvanfrayen	UX Score B+	FIT Score B+	Users (ID) dwood	Login Secs Login c 3	t Users (ID) cwalker	Load Secs UX Score 29 A+	Users (ID) dkhare	ANR UX Score	jmatto) Latency ms Failed Conn. × 34.25 0	Users (ID) Failed Net Latency ms	1					
sung han jflatbush	B+	A+	cwalker	2	L sung han shajek	12 B+			shaje	k 31.75 0		1					
NO LOGIN USER	B+ A-	A+ A+	shajek	1	jmattox	10 A 10 A+						1					
markj	A-	A+			markj	8 A-						1					
mcvf shajek	A-	A+ A+			dwood	4 A+						1					
dkhare	A	A+									No records returned.	1					
shajek	A	B+									This might be the filter applied.	1					
administrator	A	A+										1					


The Login sparkline dashboard shows the duration and counts of each main step of the Windows login process. You can search for a specific user or machine or view all records averaged by date/hour.




From the **Advanced > Inspectors > Login** tab you can see a Boot and Login delay for your users.



To drill down to a specific user, click on the user's name in the chart. At this point you still see an overview, but it is isolated to just this user.



Now click on the specific login time that you want to drill down into. Each login for the time period you have selected will be listed. To change your span of time, select your **Date Range** at the top of the tab. Drilling down into a specific login will list each main step of the login process showing the duration and highlighting errors.



Clicking on the **Boot Delay** step in the login process and sorting based on Duration shows TrustedInstaller took the most time. This login most likely took longer because it was finishing a Windows Update.

Diagnostics I	wentory	Advanced										
Se	arch	Spot	Checks	Dash	ooards	Inspectors	Trends & Top Cons	sumers	My Tab			Preferences
Users (ID)	Machines	Login Even	t Log Applicati	ions Process Name	Browser	Network Remote Dis	play Trace Route Folders	Extensions vHost	ts vMachi	nes	Inventory	Alerts
Inspector View	: Details Pre	Auth Events and Processes	▼ 🛛 🕻	Gol Date Ra	inge: 00::23 - Too	day + Yesterday	- 🎫 🔢					100 / 167 rows (cached)
- Lookup By	Users (ID)	v 😮	Sub Search:		×	Resolution: CID Level V	🛙 📸 Basis 🛛 🔀 Filters	Joptions				
Granh:	* Login Event [Duration	Tal	ble: Events and Proce	***	COL Co	lor: Default VDI UX/FIT V Limit: 10					
·	-					SEARCH		<u> </u>				
		<= 0)) and ((d_name not like 'No			ke Connect%)) and ((o_name not like 'User Boot)						
Return to Top	븆 User = te	stuser02@Local Dire	tory (479) 🕑	ZOOM BY 🔻	🐻 🕜 Filters Ei	nabled						
Login Time = 20	9-10-17 15	50.10										
Login Time - 20	10-10-17 15	.50.10							Page: 1 of 2	(100 reco	ords, 1 - 1	00 of 167) < Prev Ne
End Date	User Name	Event Time Logged	Login Timeline	Event ID Severit		Comment	Event or Proces	s Name	DURATION	Owner	PID	arent PID
	tectucor02	2018-10-17 15:49:34.137	-34.666 sec			art Process	Trustedinstaller.exe					
8-10-17 15:53:46					- 30		rrustedinstaller.exe		145.900 sec	system	2208	572 C:\Windows\servicing\Tru
												C:\Windows\winsxs\amd
3-10-17 15:53:46	testuser02	2018-10-17 15:49:34.255	-34.548 sec		- St	art Process	TiWorker.exe		145.777 sec	system	2268	816 C:\Windows\winsxs\amd servicingstack_31bf3856
-10-17 15:53:46 -10-17 15:53:46	testuser02 testuser02	2018-10-17 15:49:34.255 2018-10-17 15:49:38.758	-34.548 sec -30.045 sec		- St	art Process art Process	TiWorker.exe WmiPrvSE.exe		145.777 sec 98.256 sec	system system	2268 2980	816 C:\Windows\winsxs\amd servicingstack_31bf3856 816 C:\Windows\sysWOW64
I-10-17 15:53:46 I-10-17 15:53:46 I-10-17 15:53:46	testuser02 testuser02 testuser02	2018-10-17 15:49:34.255 2018-10-17 15:49:38.758 2018-10-17 15:49:45.399	-34.548 sec -30.045 sec -23.404 sec		St St St	art Process art Process art Process	TiWorker.exe WmiPrvSE.exe WmiPrvSE.exe		145.777 sec 98.256 sec 91.615 sec	system system system	2268 2980 3056	816 C:\Windows\winsxs\amdle servicingstack_31bf3856 816 C:\Windows\sysWOW64' 816 C:\Windows\sysWOW64'
I-10-17 15:53:46 I-10-17 15:53:46 I-10-17 15:53:46 I-10-17 15:53:46	testuser02 testuser02 testuser02 testuser02	2018-10-17 15:49:34.255 2018-10-17 15:49:38.758 2018-10-17 15:49:35.399 2018-10-17 15:49:35.049	-34.548 sec -30.045 sec -23.404 sec -33.754 sec		- St - St - St - St - St	art Process art Process art Process art Process	TiWorker.exe WmiPrvSE.exe WmiPrvSE.exe sppsvc.exe		145.777 sec 98.256 sec 91.615 sec 87.018 sec	system system system	2268 2980 3056 2624	816 C:\Windows\winsxs\amdi servicingstack_31bf3856 816 C:\Windows\sysWOW64' 816 C:\Windows\sysWOW64' 572 C:\Windows\system32\sp
-10-17 15:53:46 -10-17 15:53:46 -10-17 15:53:46 -10-17 15:53:46 -10-17 15:53:46	testuser02 testuser02 testuser02 testuser02 testuser02	2018-10-17 15:49:34.255 2018-10-17 15:49:38.758 2018-10-17 15:49:45.399 2018-10-17 15:49:35.049 2018-10-17 15:49:35.662	-34.548 sec -30.045 sec -23.404 sec -33.754 sec -33.141 sec	40 40 40 40 40 40 40 40 40 40 40 40 40 4	- St - St - St - St - St - St	art Process art Process art Process art Process art Process	TiWorker.exe WmiPrvSE.exe WmiPrvSE.exe sppsvc.exe SppExtComObj.Exe		145.777 sec 98.256 sec 91.615 sec 87.018 sec 86.397 sec	system system system	2268 2980 3056	816 C:\Windows\winsxs\amd servicingstack_31bf3866 816 C:\Windows\sys\W0W64 872 C:\Windows\sys\W0W64 874 C:\Windows\system32\space 816 C:\Windows\system32\space
-10-17 15:53:46 -10-17 15:53:46 -10-17 15:53:46 -10-17 15:53:46 -10-17 15:53:46 -10-17 15:53:46	testuser02 testuser02 testuser02 testuser02 testuser02 testuser02	2018-10-17 15:49:34.255 2018-10-17 15:49:38.758 2018-10-17 15:49:45.399 2018-10-17 15:49:35.049 2018-10-17 15:49:35.662 2018-10-17 15:49:19.093	-34.548 sec -30.045 sec -23.404 sec -33.754 sec -33.141 sec -49.710 sec	2 - Error	St St St St St St Er	art Process art Process art Process art Process art Process ror	TWorker exe WmIPrvSE exe WmIPrvSE exe sppsvc exe SppEvtComObj Exe Bod Delay		145.777 sec 98.256 sec 91.615 sec 87.018 sec 86.397 sec 40.000 sec	system system system	2268 2980 3056 2624	816 C:Windowsiwinsxslandi servicingstack_31b7386 816 C:WindowsisysWOW64 572 C:Windowsisystem32isg 816 C:Windowsisystem32isg 817 C:Windowsisystem32isg 818 C:Windowsisystem32isg
-10-17 15:53:46 -10-17 15:53:46 -10-17 15:53:46 -10-17 15:53:46 -10-17 15:53:46 -10-17 15:53:46 -10-17 15:53:46	testuser02 testuser02 testuser02 testuser02 testuser02 testuser02 testuser02	2018-10-17 15:49:34.255 2018-10-17 15:49:38 758 2018-10-17 15:49:45.399 2018-10-17 15:49:35.049 2018-10-17 15:49:35.049 2018-10-17 15:49:19.093 2018-10-17 15:49:32.504	-34.548 sec -30.045 sec -23.404 sec -33.754 sec -33.141 sec -49.710 sec -36.299 sec	 2 - Error 2 - Error	St St St St St St Er	art Process art Process art Process art Process art Process for for	TWorker.exe WmiPrvSE.exe WmiPrvSE.exe sppsvc.exe SppExtComObj.Exe Boot.Delay Pre Login Activity		145.777 sec 98.256 sec 91.615 sec 87.018 sec 86.397 sec 40.000 sec 36.299 sec	system system system system	2268 2980 3056 2624 2732 	816 C:Windowsiwinxxslandi servicingstack_31bf3866 816 C:WindowsisysWOW64 816 C:WindowsisysWOW64 512 C:Windowsisystem32kg 816 C:Windowsisystem32kg 816 C:Windowsisystem32kg 9 Step
-10-17 15:53:46 -10-17 15:53:46 -10-17 15:53:46 -10-17 15:53:46 -10-17 15:53:46 -10-17 15:53:46 -10-17 15:53:46 -10-17 15:53:46	testuser02 testuser02 testuser02 testuser02 testuser02 testuser02 testuser02 testuser02	2018-10-17 15:49:34 255 2018-10-17 15:49:38 758 2018-10-17 15:49:45 399 2018-10-17 15:49:35 049 2018-10-17 15:49:35 662 2018-10-17 15:49:19 093 2018-10-17 15:49:27 049 2018-10-17 15:49:47 258	-34.548 sec -30.045 sec -23.404 sec -33.754 sec -33.141 sec -49.710 sec -36.299 sec -21.545 sec	 2 - Error 2 - Error	St St St St St St Er St St	art Process art Process art Process art Process art Process for for art Process	TWorker exe WmIPrvSE exe sppsvc.exe Spp5vc.tomObj Exe Boot Delay Pre Login Activity spolsv exe		145.777 sec 98.256 sec 91.615 sec 86.397 sec 40.000 sec 36.299 sec 35.553 sec	system system system system system system	2268 2980 3056 2624 2732 	816 C:Windows/wins/slamd 817 C:Windows/sys/WOW64 816 C:Windows/sys/WOW64 817 C:Windows/sys/WOW64 818 C:Windows/sys/WOW64 816 C:Windows/sys/WOW64 916 C:Windows/sys/WOW64 917 Step 918 Step 917 C:Windows/sys/em32/s
-10-17 15:53:46 -10-17 15:53:46 -10-17 15:53:46 -10-17 15:53:46 -10-17 15:53:46 -10-17 15:53:46 -10-17 15:53:46 -10-17 15:53:46	testuser02 testuser02 testuser02 testuser02 testuser02 testuser02 testuser02 testuser02 testuser02	2018-10-17 15:49:34 255 2018-10-17 15:49:38 758 2018-10-17 15:49:45 399 2018-10-17 15:49:35 049 2018-10-17 15:49:35 049 2018-10-17 15:49:19 093 2018-10-17 15:49:25 04 2018-10-17 15:49:47 258 2018-10-17 15:49:47 258	-34.548 sec -30.045 sec -23.404 sec -33.754 sec -33.141 sec -49.710 sec -36.299 sec -21.545 sec -15.482 sec	 2 - Error 2 - Error 2 - Error 	St St St St St Er St St St St	art Process art Process art Process art Process ror art Process art Process	TWorker exe WmiPrvSE exe Spptv.ce SppExtComObj.Exe Boot Delay Pre Login Activity spolosiv exe svchost exe		145.777 sec 98.256 sec 91.615 sec 86.397 sec 40.000 sec 36.299 sec 35.553 sec 33.236 sec	system system system system system system system	2268 2980 3056 2624 2732 	816 C:WindowsWinsxband servicingstack_31bf366 Stb7366 816 C:WindowslsysWOW64 816 C:WindowslsysWOW64 816 C:WindowslsysWOW64 816 C:Windowslsystem32kg 6 CWindowslsystem32kg 9 Step 9 Step 272 C:Windowslsystem32kg 572 c:Windowslsystem32kg
-10-17 15:53:46 -10-17 15:53:46 -10-17 15:53:46 -10-17 15:53:46 -10-17 15:53:46 -10-17 15:53:46 -10-17 15:53:46 -10-17 15:53:46 -10-17 15:53:46	testuser02 testuser02 testuser02 testuser02 testuser02 testuser02 testuser02 testuser02 testuser02 testuser02	2018-10-17 15:49:34 255 2018-10-17 15:49:38 758 2018-10-17 15:49:35 049 2018-10-17 15:49:35 642 2018-10-17 15:49:35 662 2018-10-17 15:49:32 504 2018-10-17 15:49:32 504 2018-10-17 15:49:32 254 2018-10-17 15:49:32 254 2018-10-17 15:49:32 2018	-34.548 sec -30.045 sec -23.404 sec -33.754 sec -33.141 sec -49.710 sec -36.299 sec -21.545 sec -15.482 sec -25.867 sec		St St St St St Er St St St St St	art Process art Process art Process art Process art Process oror or art Process art Process art Process	TiWorker exe WmPrvSE exe experts exe SopExtComObj Exe Boat Datax Pre Login Activity spolity vae sychoist exe taskhoistie exe		145.777 sec 98.256 sec 91.615 sec 87.018 sec 86.397 sec 40.000 sec 35.553 sec 33.236 sec 24.151 sec	system system system system system system system system	2268 2980 3056 2624 2732 	816 C:Windows/winsxiamd servicingstack_31bf3856 Starticingstack_31bf3856 816 C:Windows/systWOW64 8172 C:Windows/system32457 272 C:Windows/system32457 98tep Step 5172 C:Windows/system32457 5172 C:Windows/system32457 5172 C:Windows/system32457 5172 C:Windows/system32457 5172 C:Windows/system32457 5172 C:Windows/system32457 5173 C:Windows/system32457 516 tasknow.exe SYSTEM
+10-17 15:53:46 +10-17 15:53:46 +10-17 15:53:46 +10-17 15:53:46 +10-17 15:53:46 +10-17 15:53:46 +10-17 15:53:46 +10-17 15:53:46 +10-17 15:53:46	testuser02 testuser02 testuser02 testuser02 testuser02 testuser02 testuser02 testuser02 testuser02 testuser02 testuser02	2018-10-17 15 49:34 255 2018-10-17 15 49:38,758 2018-10-17 15 49:38,758 2018-10-17 15 49:35 649 2018-10-17 15 49:35 649 2018-10-17 15 49:36 562 2018-10-17 15 49:32 504 2018-10-17 15 49:47 258 2018-10-17 15 49:47 258 2018-10-17 15 49:47 258	-34.548 sec -30.045 sec -23.404 sec -33.754 sec -33.754 sec -33.141 sec -49.770 sec -36.299 sec -21.545 sec -15.482 sec -25.867 sec -21.288 sec		- St - St - St - St - St - Er - St - St - St - St - St - St	art Process art Process art Process art Process art Process oror art Process art Process art Process art Process	TiWorker exe WmPrySE exe Sppsv: exe SppSetComObj Exe Boot Delay Fre Lopin Actualy spolsv ave sychost exe tashnostv.ee disregemd exe		145.777 sec 98.256 sec 91.615 sec 87.018 sec 86.397 sec 40.000 sec 36.299 sec 33.236 sec 24.151 sec 19.564 sec	system system system system system system system system	2268 2980 3056 2624 2732 	816 C.Windows/winsxs/amd servicingstok, 316/3856 Servicingstok, 316/3856 816 C.Windows/sys/WOW64 8172 C.Windows/sys/WOW64 9172 C.Windows/sys/tem32kg 9186 C.Windows/sys/tem32kg 9187 Step 9180 Step 9172 C.Windows/system32kg 918 Step 912 C.Windows/system32kg 912
8-10-17 15:53:46 8-10-17 15:53:46 8-10-17 15:53:46 9-10-17 15:53:46 9-10-17 15:53:46 9-10-17 15:53:46 9-10-17 15:53:46 9-10-17 15:53:46 9-10-17 15:53:46 9-10-17 15:53:46 9-10-17 15:53:46 9-10-17 15:53:46	testuser02 testuser02 testuser02 testuser02 testuser02 testuser02 testuser02 testuser02 testuser02 testuser02 testuser02 testuser02	2018-10-17 15 49:34 255 2018-10-17 15 49:38.758 2018-10-17 15 49:38.758 2018-10-17 15 49:38.649 2018-10-17 15 49:38.649 2018-10-17 15 49:38.662 2018-10-17 15 49:32.504 2018-10-17 15 49:47.258 2018-10-17 15 49:45.323 2018-10-17 15 49:45.332 2018-10-17 15 49:45.332	-34.548 sec -30.045 sec -23.404 sec -33.754 sec -33.141 sec -49.710 sec -36.299 sec -21.545 sec -15.482 sec -25.867 sec -21.88 sec -17.638 sec		- St - St - St - St - St - Er - St - St - St - St - St - St - St - St	art Process art Process art Process art Process or for art Process art Process art Process art Process art Process art Process art Process	TiWorker exe WmiPrvSE exe sppsvc exe SppExtComOt Exe Boat Datax Pre Login Activity spools voe sychoat exe taskhoat we deregend exe combast we		145.777 sec 98.256 sec 91.615 sec 87.018 sec 86.397 sec 40.000 sec 36.299 sec 35.553 sec 33.236 sec 24.151 sec 19.564 sec 18.072 sec	system system system system system system system system system	2268 2980 3056 2624 2732 	816 C:Windowsiwnsxiamd servicingstack.31fr385 Streingstack.31fr385 816 C:WindowsisysWOW64 817 C:WindowsisysWOW64 818 C:Windowsisystem32cs 2 C:Windowsisystem32cs 818 C:Windowsisystem32cs 2 C:Windowsisystem32cs
-10-17 15:53:46 -10-17 15:53:46	testuser02 testuser02 testuser02 testuser02 testuser02 testuser02 testuser02 testuser02 testuser02 testuser02 testuser02 testuser02 testuser02	2018-10-17 15 49 34 255 2018-10-17 15 49 38 788 2018-10-17 15 49 38 788 2018-10-17 15 49 38 649 2018-10-17 15 49 38 649 2018-10-17 15 49 18 903 2018-10-17 15 49 18 903 2018-10-17 15 49 18 905 2018-10-17 15 49 47 258 2018-10-17 15 49 47 258 2018-10-17 15 49 47 251 2018-10-17 15 49 47 515	-34.548 sec -30.045 sec -23.404 sec -33.754 sec -33.141 sec -36.299 sec -21.545 sec -25.867 sec -21.288 sec -17.638 sec -15.665 sec		- 51 - 51 - 51 - 51 - 51 - 51 - 51 - 51	art Process art Process	TiWorker exe WmiPrvSE exe Sppsv: cee Sppsv: cee Baot Delay Pre Login Activity spositiv exe sychost exe tasknostiv exe dargemd.exe combast exe combast exe		145.777 sec 98.256 sec 91.615 sec 87.018 sec 86.397 sec 36.299 sec 33.236 sec 24.151 sec 19.564 sec 18.072 sec 16.099 sec	system system system system system system system system system	2268 2980 3056 2624 2732 	816 C:Windows/winxs:slamd/slamd 816 C:Windows/sys/WOM64 816 C:Windows/sys/WOM64 816 C:Windows/sys/WOM64 817 C:Windows/sys/WOM64 818 C:Windows/sys/WOM64 819 C:Windows/sys/WOM64 810 Step 911 Step 912 C:Windows/sys/em32/sys/WOM54 912 C:Windows/sys/WOM54
9-10-17 15:53:46 9-10-17 15:53:46	testuser02 testuser02 testuser02 testuser02 testuser02 testuser02 testuser02 testuser02 testuser02 testuser02 testuser02 testuser02 testuser02 testuser02 testuser02 testuser02	2018-10-17 15 49 34 255 2018-10-17 15 49 38.758 2018-10-17 15 49 38.758 2018-10-17 15 49 38.049 2018-10-17 15 49 38.049 2018-10-17 15 49 38.049 2018-10-17 15 49 18 093 2018-10-17 15 49 18 093 2018-10-17 15 49 45 23.21 2018-10-17 15 49 45 23.59 2018-10-17 15 49 47 515 2018-10-17 15 49 53.598	-34,548 sec -30,045 sec -23,404 sec -33,754 sec -33,754 sec -36,299 sec -21,545 sec -15,545 sec -17,638 sec -17,638 sec -15,234 sec		- 51 - 51 - 51 - 51 - 51 - 51 - 51 - 51	art Process art Process art Process art Process or or art Process art Process art Process art Process art Process art Process art Process art Process art Process art Process	TWorker exe WmIPrvSE exe Sppbr.cexe Sppbr.cexe Boot Delay Boot Delay Pre Login Activity spolosv xxe exchost exe taskhostiv exe dsregerm deve conhost exe conhost exe conhost exe		145.777 sec 98.256 sec 91.615 sec 87.018 sec 86.397 sec 40.000 sec 35.553 sec 33.236 sec 19.564 sec 18.072 sec 16.099 sec 15.957 sec	system system system system system system system system system system	2268 2980 30564 2624 2732 	816 C:Windows/wincs.slamdb 817 C:Windows/system320 818 C:Windows/system320 819 C:Windows/system320 816 C:Windows/system320 817 C:Windows/system320 818 C:Windows/system320 819 C:Windows/system320 812 C:Windows/system320 812 C:Windows/system320 812 C:Windows/system320 812 C:Windows/system320 812 C:Windows/system320 814 YO:C:Windows/system3344 814 YO:C:Windows/system3344 814 YO:C:Windows/system3344
-10-17 15:53:46 -10-17 15:53:46	testuser02 testuser02 testuser02 testuser02 testuser02 testuser02 testuser02 testuser02 testuser02 testuser02 testuser02 testuser02 testuser02	2018-10-17 15 49 34 255 2018-10-17 15 49 38 788 2018-10-17 15 49 38 788 2018-10-17 15 49 38 649 2018-10-17 15 49 38 649 2018-10-17 15 49 18 903 2018-10-17 15 49 18 903 2018-10-17 15 49 18 905 2018-10-17 15 49 47 258 2018-10-17 15 49 47 258 2018-10-17 15 49 47 251 2018-10-17 15 49 47 515	-34.548 sec -30.045 sec -23.404 sec -33.754 sec -33.141 sec -36.299 sec -21.545 sec -25.867 sec -21.288 sec -17.638 sec -15.665 sec		- St - St - St - St - St - Er - Er - St - St - St - St - St - St - St - St	art Process art Process	TiWorker exe WmiPrvSE exe Sppsv: cee Sppsv: cee Baot Delay Pre Login Activity spositiv exe sychost exe tasknostiv exe dargemd.exe combast exe combast exe		145.777 sec 98.256 sec 91.615 sec 87.018 sec 86.397 sec 40.000 sec 36.299 sec 33.236 sec 24.151 sec 19.564 sec 18.072 sec 16.099 sec	system system system system system system system system system system system system	2268 2980 3056 2624 2732 	Bit C:Windows/winxs:lamd/s Bit C:Windows/sys/WOM64 C:Windows/sys/WOM64 Step Bit C:Windows/sys/WOM64 C:Windows/sys/WOM64 Step Bit C:Windows/sys/WOM64 C:Windows/sys/WOM64 Step Bit C:Windows/sys/WOM64 Bit C:Windows/sys/WOM64 Bit C:Windows/sys/WOM64 Bit C:Windows/sys/WOM64 Bit C:Windows/sys/WOM64 Bit Bit Bit C:Windows/sys/WOM64 Bit C:Windows/sys/WOM64 Bit Bit Bit Bit Bit Bit Bi
-10-17 15:53:46 -10-17 15:53:46	testuser02 testuser02 testuser02 testuser02 testuser02 testuser02 testuser02 testuser02 testuser02 testuser02 testuser02 testuser02 testuser02 testuser02 testuser02 testuser02	2018-10-17 15 49:34 255 2018-10-17 15 49:34 255 2018-10-17 15 49:35 782 2018-10-17 15 49:35 682 2018-10-17 15 49:35 682 2018-10-17 15 49:35 682 2018-10-17 15 49:35 682 2018-10-17 15 49:47 258 2018-10-17 15 49:47 258 2018-10-17 15 49:51 165 2018-10-17 15 49:51 165 2018-10-17 15 49:55 509 2018-10-17 15 49:55 509 2018-10-17 15 49:55 749	-34.548 sec -30.045 sec -23.404 sec -33.754 sec -33.754 sec -33.141 sec -49.770 sec -49.770 sec -15.482 sec -21.288 sec -17.638 sec -15.665 sec -15.234 sec -15.234 sec -33.054 sec		- St - St - St - St - St - St - St - St	art Process art Process	TiWorker exe WmPrvSE exe oppsvc exe SopExtComOto Exe Basz Dalax Prie Login Activity spolity vae sychost exe taskhostwe exe dsregend exe combast exe combast exe taskhostwe exe taskhostwe exe taskhostwe exe		145.777 sec 98.256 sec 91.615 sec 87.018 sec 86.397 sec 40.000 sec 35.553 sec 33.236 sec 24.151 sec 19.564 sec 16.099 sec 15.957 sec 15.598 sec	system system system system system system system system system system	2268 2980 3056 2624 2732 	816 C:Windows/summs.stamb 817 C:Windows/sup/WOM4 818 C:Windows/sup/WOM4 818 C:Windows/sup/WOM4 818 C:Windows/sup/WOM4 816 C:Windows/sup/WOM4 817 C:Windows/sup/WOM4 818 C:Windows/sup/WOM4 819 C:Windows/sup/WOM4 810 C:Windows/sup/WOM4 811 tabinator acc %97EPM 820 VPC/Cum/dows/sup/mom4 821 VPC:Windows/sup/mom4 823 VPC/Cum/dows/sup/mom4 824 VPC/CUM/dows/sup/mom4 823 VPC/Sup/mom4 824 VPC/CUM/dows/sup/mom4 824 VPC/Sup/mom4 824 VPC/Sup/mom4 823 VPC/Sup/mom4 824 VPC/Sup/sup/sup/sup/sup/sup/sup/sup/sup/sup/s
-10-17 15:53:46 -10-17 15:53:46	testuser02 testuser02 testuser02 testuser02 testuser02 testuser02 testuser02 testuser02 testuser02 testuser02 testuser02 testuser02 testuser02 testuser02 testuser02	$\begin{array}{c} 2018-10-17 \ 15 \ 49 \ 34 \ 255 \\ 2018-10-17 \ 15 \ 49 \ 35 \ 786 \\ 2018-10-17 \ 15 \ 49 \ 35 \ 782 \\ 2018-10-17 \ 15 \ 49 \ 35 \ 592 \\ 2018-10-17 \ 15 \ 49 \ 35 \ 592 \\ 2018-10-17 \ 15 \ 49 \ 35 \ 592 \\ 2018-10-17 \ 15 \ 49 \ 47 \ 253 \\ 2018-10-17 \ 15 \ 49 \ 47 \ 253 \\ 2018-10-17 \ 15 \ 49 \ 47 \ 253 \\ 2018-10-17 \ 15 \ 49 \ 47 \ 253 \\ 2018-10-17 \ 15 \ 49 \ 55 \ 599 \\ 2018-10-17 \ 15 \ 49 \ 55 \ 599 \\ 2018-10-17 \ 15 \ 49 \ 55 \ 599 \\ 2018-10-17 \ 51 \ 49 \ 51 \ 599 \\ 2018-10-17 \ 51 \ 49 \ 51 \ 599 \\ 2018-10-17 \ 51 \ 49 \ 51 \ 599 \\ 2018-10-17 \ 51 \ 49 \ 51 \ 599 \\ 2018-10-17 \ 51 \ 49 \ 51 \ 599 \\ 2018-10-17 \ 51 \ 49 \ 51 \ 599 \\ 2018-10-17 \ 51 \ 49 \ 51 \ 599 \\ 2018-10-17 \ 51 \ 49 \ 51 \ 599 \ 599 \ 599 \ 50 \ 590 \ 500 \ 500 \ 500 \ 500 \ $	-34.548 sec -30.045 sec -23.404 sec -33.754 sec -33.754 sec -36.299 sec -21.545 sec -15.482 sec -15.635 sec -15.635 sec -15.635 sec -15.635 sec -15.234 sec		- 51 - 51 - 51 - 51 - 51 - 51 - 51 - 51	art Process art Process art Process art Process tor for art Process art Process art Process art Process art Process art Process art Process art Process art Process	TiWorker exe WmiPrvSE exe sppset: exe sppset: exe sppset: comOd Exe Boot Delay. Pre Login Activity spolst vere synchost exe diregond exe comtost exe contost exe contost exe taskhostw.exe		145.777 sec 98.256 sec 91.615 sec 87.018 sec 87.018 sec 33.257 sec 33.256 sec 24.151 sec 19.564 sec 16.099 sec 15.957 sec	system system system system system system system system system system system	2268 2980 3056 2624 2732 	816 C:Windows/wincs.slamdb 817 C:Windows/system320 818 C:Windows/system320 819 C:Windows/system320 816 C:Windows/system320 817 C:Windows/system320 818 C:Windows/system320 819 C:Windows/system320 812 C:Windows/system320 812 C:Windows/system320 812 C:Windows/system320 812 C:Windows/system320 812 C:Windows/system320 814 YO:C:Windows/system3344 814 YO:C:Windows/system3344 814 YO:C:Windows/system3344

Clicking on another step, in this case Computer Group Policy Service, shows a detailed breakdown of what is happening during the user login.

Diagnostics In	ventorv	Advanced											
Sea		Muvanceu	SpotCh	acks	Dashbo	arde	Inspectors	Trends & Top Co	neumore	. N	lv Tab P	references	
		1 and 1								_	,		_
Users (ID)	Machines	Login	Event L			Browser	Network Remote Display Trace Route	Folders	Extensions vHo	sts	vMachines Inventory	Alerts	
Inspector View	Overview G	roup Policy Compu	uter 🔻	· 😮 🖸	Date Range:	00::23 - Today + Y	Yesterday 💌 🔣 🔞					46 / 46 rows (cached	d) (
Lookup By:	Users (ID)	• 2	S	ub Search:	8		Resolution: CID Level 🔻 👔 👸 Basis	🔏 Filters	Joptions				Exp
🛟 🦺 Graph: [* Login Event D	uration		с 📑 т	able: Group Policy Details	: 11	COL Color: Default VDI UX	/FIT 🔻 Limit: 1	• • • • •				
Filter Detail (3) :	d_comment like 'C	omputer Group Policy	Service') and	(d_details not like 'st	ep%') and (d_comment not like 'S	art Process')							_
Return to Top	tilsen - ter	turor02@Loc	al Directo	any (470) 🖉	ZOOM BY 🔻 💕	B Filters En	abled						
Login Time = 201			ai Directo	Jiy (475) 🗠									
													D
End Date	User Name	Event Time L	ogged	Login Timeline	Comment	Event ID	D Event or Process I	lame	Duration	Sess ID	Domain Details	Domain Controller IP	Di
8-10-17 15:53:46	testuser02	2018-10-17 15:4		-27.961 sec	Computer Group Policy S	ervice 4000	0 Starting computer policy processing		12.228 se	0			
8-10-17 15:53:46	testuser02	2018-10-17 15:4	9:40.844	-27.959 sec	Computer Group Policy S	ervice 5340	D		- se	c			
8-10-17 15:53:46	testuser02	2018-10-17 15:4	9:40.846	-27.957 sec	Computer Group Policy S	ervice 5320	0 Retrieving Domain Controller details		- se	0			
8-10-17 15:53:46		2018-10-17 15:4			Computer Group Policy S		7 Making system calls		- 50				
18-10-17 15:53:46	testuser02	2018-10-17 15:4	9:48.018		Computer Group Policy S		7 System call completes successfully		7.172 se		CN=WIN101 VDI02,OU=Win10,OU=Desktops,OU= Enviroment,DC=foo,DC=I	Lab	
8-10-17 15:53:46	testuser02	2018-10-17 15:4	9:48.018	-20.785 sec	Computer Group Policy Se	ervice 5320	0 Retrieving Domain Controller details		se	c			
8-10-17 15:53:46	testuser02	2018-10-17 15:4	9:48.023	-20.780 sec	Computer Group Policy Se	ervice 4326	6 Group Policy is trying to discover the Domain C	ontroller information	se	c			
8-10-17 15:53:46	testuser02	2018-10-17 15:4	9:48.023	-20.780 sec	Computer Group Policy S	ervice 5320	Retrieving Domain Controller details		- se	0			
8-10-17 15:53:46	testuser02	2018-10-17 15:4	9:48.911	-19.892 sec	Computer Group Policy S	ervice 4017	7 Making system calls		- 50		is-dc.foo.l	ocal	
8-10-17 15:53:46	testuser02	2018-10-17 15:4	9:49.151	-19.652 sec	Computer Group Policy S	ervice 5017	7 System call completes successfully		0.234 se		is-dc.foo.l	ocal	
8-10-17 15:53:46	testuser02	2018-10-17 15:4	9:49 151	-19.652 sec	Computer Group Policy S	arvice 5308	B Display information about a discovered domain	controller completes	successfully se	n .		192,168,126,1	0
8-10-17 15:53:46	testuser02	2018-10-17 15:4	9:49.151		Computer Group Policy S		6 Group Policy successfully discovered the Doma		1.125 se				
8-10-17 15:53:46	testuser02	2018-10-17 15:4	9:49 155		Computer Group Policy S		9 The discovery of computer information complete		- 50				
8-10-17 15:53:46		2018-10-17 15:4			Computer Group Policy S		Display security principal information about the						
8-10-17 15:53:46		2018-10-17 15:4			Computer Group Policy S		1 No loopback mode		- 50				
8-10-17 15:53:46		2018-10-17 15:4			Computer Group Policy S				- 56				
8-10-17 15:53:46		2018-10-17 15:4			Computer Group Policy S				- 54				
8-10-17 15:53:46		2018-10-17 15:4			Computer Group Policy S		7 Success estimated bandwidth		- 50				
8-10-17 15:53:46		2018-10-17 15:4			Computer Group Policy S		4 The Group Policy service successfully determin	od a clow or fact link	- 50				
8-10-17 15:53:46		2018-10-17 15:4			Computer Group Policy S		7 Making system calls		- 56		\\foo.local\sysvol\foo.local\Poli {31B2F340-016D-11D2-9 00C04FB984F9}\gp	45F-	
18-10-17 15:53:46	testuser02	2018-10-17 15:4	9:49.993	-18.810 sec	Computer Group Policy Se	ervice 5017	7 System call completes successfully		0.281 se	•	\\foo.local\sysvol\foo.local\Poli {31B2F340-016D-11D2-9 00C04FB984F9}\gr	45F-	
											\\foo.local\SvsVol\foo.local\Poli		

Process Optimization

The Stratusphere CID Key software can be configured to help optimize processes and memory in Windows environments. Process Optimization is a feature that is designed to dynamically raise and lower the priority of processes running in order to increase responsiveness and provide a better user experience. This feature can also provide memory trimming on idle process and the ability to terminate specific processes to keep them from running on your machines. Process Optimization works by granting in-focus applications the CPU resources it needs while guarding against background applications that monopolize resources.

While optimization changes are being made in real time, it should be pointed out that Stratusphere's philosophy is to "do no harm". If a machine is not under stress, then the CID Key optimizer will do nothing. In addition, the optimizer is very polite. The optimizer will first ask a process to lower its CPU priority. If the process says "no", then the optimizer will not force the change nor will it ask the process again. Therefore, you can rest assured that Stratusphere's Process Optimization will not negatively affect your antivirus protection or other important background processes.

To configure Process Optimization for your environment, go to **Hub Administration > Connector ID Keys > Connector ID Key Properties > Process Optimization** in the Hub Administration module. Process Optimization can be configured for specific machines or machine groups. The actual optimization process begins once the CID Key software has been distributed to those machines in your environment.

To see a count summary of the actions taken by the Process Optimizer, navigate to **Advanced > Inspectors > Process Name** (& **Applications**) tab and select the **Optimizer > Action Counts** Table View.

Search	(SpotCheck	s	(Da	ashboards			nspectors	3		Trends & Top	Consumers		P	/ly Tab			Preferences					
Users (ID) Machi	nes Lo	ogin (Event Log	App	lications	Process Na	ame Bro	wser	Network	Remote	Display	Trace Route	Folde	rs) E	densions	vHosts		/Machines		Inventi	any)	Alerts			
Inspector View: * Custom (-	Details On 👔	ROLLAUR	Auto 🗸	Date Rar	ge: 00::23 - Today			- 18	2								.,	100 / 845 row	s (cached)	1	
		,				10000 00																		_	
-Dookup By: Process Nan	» 🗸 🖬	Qs	earch	Reso	Jution: Proces	Name 🗸 🛔	👔 🛛 🍓 Bas	is 🎇	Filters	tions														Exp	
			- m.					COL																	
🛟 🦺 Graph: * Application	Workload	Ψ	י 🌄 🗌	Table Optin	nizer Action Cou	nts		SEARCH	Color: Default		▼ Limit:	100 👻 🖪	rocesses: B	oth 👻 🔛											
																	Pag	je: 1 of	9 (10	10 records	, 1 - 100 of	845) 📧	Prev	Next	
				Optimizer	Optimizer	Optimizer	Optimizer	Optimizer				Optimizer	Optimizer			Process		Process	App			Active	Ava	с	
Process Name	WORKLOAD	Optimizer Actions	Optimizer Terminate	Priority	Priority Below Normal	Priority	Priority Above Normal	Priority High	CPU Used MHz Per App Avg	CPU % All Cores	CPU Cores Total Used	Persistent	Persistent Raise	Window Foreground	Optimizer Trim Memory	Privilege Elevated	Machine Count	Owner Count	ID Count	O/S Count	PID Count	Minutes Per CID	CID Minutes	Rec	
chrome	1	805 ct	ct	312 ct	- ct	330 ct	15 ct	ct	150.8 MHz	6.3 %	0.57 c	ct	ct	15 ct	148 ct	Elevated	3	A	3	3	254	632 mins	634 mins		
java	2	- d	ct	ct	ct	ct	ct	ct	264.8 MHz	10.1 %	2.02 c	ct	ct	ct	ct	1	10	5	8	6	35	790 mins	699 mins		
msedge	3	244 ct	ct	92 ct	ct	92 ct	ct	- ct	1.579.1 MHz	14.6 %	0.58 c	ct	01	ct	60 ct	-	1	1	1	1	41	878 mins	878 mins		
firefox	4	440 ct	ct	148 ct	ct	214 ct	78 ct	ct	52.9 MHz	0.6 %	0.06 c	ct	- ct	78 ct	ct	-	3	3	3	3	23	880 mins	880 mins		
compatteirunner	5	ct	ct	ct	ct	ct	ct	ct	107.8 MHz	1.6 %	0.13 c	ct	ct	ct	ct	1	3	1	1	2	4	6 mins	12 mins		
installd	6	ct	ct	ct	ct	ct	ct	ct	459.6 MHz	3.7 %	0.15 c	ct	ct	ct	ct	-	1	1	1	1	1	885 mins	885 mins		
clamscan	7	ct	ct	ct	ct	ct	ct	ct	302.8 MHz	6.3 %	0.25 c	ct	ct	ct	ct	-	1	1	2	1	2	7 mins	13 mins		
eclipse	8	1,980 ct	ct	259 ct	ct	983 ct	738 ct	ct	184.6 MHz	1.7 %	0.07 c	ct	ct	738 ct	ct	-	1	1	1	1	3	864 mins	878 mins		
svchost	9	7,711 ct	ct	310 ct	ct	310 ct	ct	ct	8.1 MHz	0.7 %	0.06 c	ct	ct	ct	7,091 ct	1	4	6	4	3	481	897 mins	897 mins		
teams	10	280 ct	ct	126 ct	ct	138 ct	16 ct	ct	30.2 MHz	1.1 %	0.04 c	ct	ct	16 ct	ct	-	1	2	2	1	118	439 mins	443 mins		
tntgrd	11	ct	ct	ct	ct	ct	ct	ct	31.3 MHz	0.5 %	0.05 c	ct	ct	ct	ct	1	4	1	2	3	4	881 mins	881 mins		
freshclam	12	ct	ct	ct	ct	ct	ct	ct	250.6 MHz	2.0 %	0.08 c	ct	ct	ct	ct	-	1	1	1	1	2	1 mins	6 mins		
kernel_task	13	ct	ct	ct	ct	ct	ct	ct	831.7 MHz	6.7 %	0.27 c	ct	ct	ct	ct	-	1	1	1	1	1	885 mins	885 mins		
ogle chrome helper (renderer)	14	ct	ct	ct	ct	ct	ct	ct	1,277.4 MHz	10.3 %	0.41 c	ct	ct	ct	ct	-	1	1	1	1	1,317	885 mins	885 mins		
installvm.pl	15	ct	ct	ct	ct	ct	ct	ct	74.1 MHz	1.5 %	0.03 c	ct	ct	ct	ct	-	1	1	1	1	11	218 mins	238 mins		
google chrome	16	ct	ct	ct	ct	ct	ct	ct	227.1 MHz 371.8 MHz	1.8%	0.07 c	ct	ct	ct	ct	-	1	1	1	1	1	885 mins	885 mins 39 mins		
×z	17	ct	ct	ct	ct	ct	ct	et	371.8 MHz 42.0 MHz	8.0 %	0.32 c	ct	ct	ct	ct	-	2		1	1	23	6 mins	39 mins 38 mins		
worker.py	18	ct	ct	ct	ct	ct	ct	ct	42.0 MHz 67.5 MHz	0.9 %	0.04 c 0.10 c	ct	ct	ct	ct	-	2	1		1	1/	7 mins 881 mins	38 mins 881 mins		
system	19	ct	ct	ct	ct	et	ct	ct	67.5 MHz	1.1 %	0.10 c	ct	ct	ct	ct	1	4		1	2	4	oo1 mns	oo I mins	4	

Additional Optimizer tables are available such as Foreground and Trimming and Details.

For additional information, run some of our standard reports in the Stratusphere Report Library. Go to **Diagnostics > Reports** and select the "Process Optimization Reports" category.

Getting Help with Stratusphere

In this document, we have covered a complete set of steps to evaluate the Stratusphere product for use in VDI monitoring and diagnostics. You have been introduced to the data gathering, analysis and reporting steps, and you have seen the advanced features of Stratusphere for VDI monitoring, analysis, and planning.

If you have questions or run into issues while using Stratusphere, Liquidware is here to help. Our goal is to provide you with the knowledge, tools, and support you need to be productive.

Using Online Resources

Liquidware maintains various kinds of helpful resources on our Customer Support Portal. If you have questions about your product, please use these online resources to your full advantage. The Support Portal includes product forums, a searchable Knowledge Base, documentation, and best practices among other items. You can visit our website at https://www.liquidware.com.

Contacting Support

If you wish to contact our Support staff for technical assistance, please either log a request on the Liquidware Customer Support Portal or give us a call. Prior to Logging a Case you may want to review these helpful tips:

- Check the Product Documentation included with your Liquidware Labs Product.
- Try to see if the problem is reproducible.
- Check to see if the problem is isolated to one machine or more.
- Note any recent changes to your system and environment.
- Note the version of your Liquidware product and environment details such as operating system, virtualization platform version, etc.

To speak directly with Support, please use the following numbers:

Main Line:	1-678-397-0460
Toll Free in US & Canada:	1-866-914-9665
Europe/Middle East/Africa:	+44 800 014 8097

Toll Free in Europe

UK:	0800 014 8097
Netherlands:	0800 022 5973

Switzerland: 0800 561 271